

2000/2002

GREENLEAF

GOLDEN GARDEN DUST

INSECTICIDE-FUNGICIDE

contains Rotenone, Methoxychlor, Captan

For ORNAMENTALS & VEGETABLE GARDEN

DOMESTIC

CAUTION POISON

Exposure to captan may produce long term health effects.
To minimize exposure, follow directions outlined on this label.

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING.

REG. NO. 17545 P.C.P.ACT.

GUARANTEE: methoxychlor 5%
rotenone 0.75%, captan 5%

NET CONTENTS: 300 g.

Greenleaf Products Inc.
4650 Dawson Street
Burnaby, B.C. V5C 5P8

DIRECTIONS FOR USE:

Apply to cover both leaf surfaces at first sign of disease infection or insect damage using 6-9 g per m² for cucumbers, eggplant and tomatoes and 12-20 g per m² for roses, chrysanthemums, aster, china aster, dahlia, lilac and tulip. Use lower rate on young plants and higher rate on mature plants. Repeat at intervals of 5-10 days. Do NOT apply to edible crops within 7 days of harvest.

Diseases Controlled:

Cucumber, eggplant, tomato: Alternaria leafspot, Anthracnose,

Blights, Damping-off, Gray leafspot, Pink rot, Root rot, Scab, Septoria leafspot

Rose:Black spot, Gray mold blight

Chrysanthemum, Aster,
China Aster, Dahlia,
Lilac

Tulip: Grey mold blight.

Insects Controlled:

Cucumber: Aphids, cucumber beetles, flea beetles,
leafhoppers, squash bug, thrips.

Eggplant: Aphids, blister beetles, flea beetles,
leafhoppers, thrips.

Tomato: Aphids, blister beetles, fall armyworm, flea
beetles, hornworms (young), tomato fruit worm,
thrips.

Ornamentals: Beetles, lace bugs, caterpillars, thrips.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Never handle material with bare hands. Use rubber gloves; do not use leather or cloth gloves. Wash hands, face and arms thoroughly after handling this product and before drinking, eating or smoking. Do not breathe dust. When handling or applying, wear goggles, and clothing that completely covers arms and legs to minimize exposure. Change contaminated clothing and wash thoroughly before re-use. If any accident occurs, remove contaminated clothing immediately, and wash contaminated skin thoroughly with soap and water. Wash clothing and gloves before re-use. Keep unprotected persons out of operating area or vicinity where there may be drift. Thoroughly wash treated vegetables prior to eating.

FIRST AID: In case of poisoning, call a physician or poison control centre immediately. IF ON SKIN, remove contaminated clothing and wash skin thoroughly with soap and water. IF IN EYES, flush with water for 5 - 10 minutes and obtain medical attention. IF SWALLOWED, give patient one to two glasses of water, and cause vomiting by giving one dose of syrup of ipecac. If the patient does not vomit within 20 minutes, give a second dose. If syrup of ipecac is not available, give the patient one to two glasses of water and cause vomiting by inserting a finger down the throat. Repeat with water until vomit fluid is clear.

The patient should be lying down with the head below the level of the feet. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE. Take container, label or product name and Registration Number with you when seeking medical attention.

DISPOSAL: Do not re-use empty container. Wrap and discard in household garbage.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risks to persons and property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))