ND - 700

DISINFECTANT - CLEANER - SANITIZER - FUNGICIDE MILDEWSTAT - VIRUCIDE - DEODORIZER

With Organic Soil Tolerance for Hospitals, Institutional and Industrial Use.

COMMERCIAL

GUARANTEE

Octyl decyl dimethyl ammonium chloride	.2.1	0 %
Dioctyl dimethyl ammonium chloride	.0.8	4%
Didecyl dimethyl ammonium chloride	.1.2	6%
Alkyl (C12 40%, C14, 50%, C16 10%) dimethyl benzyl ammonium chloride	.2.8	0 %

WARNING

POISON CORROSIVE

READ THE LABEL BEFORE USING

22648 REGISTRATION NO. PEST CONTROL PRODUCTS ACT

No DIN: 01983350

NET CONTENTS

4 10 20 205

LITRES

AGRO Produits vétérinaires NET Agro-Net Boisbriand, Qc

J7G 2Z3

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. ND-700 has been formulated to aid in the reduction of cross-contamination in these areas.

ND-700 is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal, fungicidal and will prevent the growth of mold and mildew and their odors

when used as directed.

ND-700 is an effective one-step sanitizer-cleaner for use on non-food contact surfaces. When used as directed, ND-700 will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas and other places where bacterial growth can cause malodors.

PRECAUTIONARY STATEMENTS

KEEP OUT OF REACH OF CHILDREN. DANGER - CORROSIVE TO EYES. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

FIRST-AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL

- 1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
- 5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS, INFORM ENVIRONMENT CANADA AS IN NO. 4.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE

ND-700 is a proven "one-step" cleaner-disinfectant-sanitizer-fungicide-mildewstat-virucide in the presence of moderate amounts of organic soil. Apply ND-700 to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, tile, porcelain, sinks and bedframes with a cloth, mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visible dirty.

Disinfection - To disinfect hard, non-porous surfaces, add 8 mL/L of water. Treated surfaces must remain wet for 10 minutes. At this use level, ND-700 is also virucidal, fungicidal.

Sanitizing - To sanitize porous and non-porous, non-food contact surfaces, add 2.5 mL/L of water. Treated surfaces must remain wet for 2 minutes.

8 mL/L Use-Level - The broad spectrum activity of ND-700 has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution test:

Pseudomonas aeruginosa
Salmonella choleraesuis
Streptococcus pyogenes
Klebsiella pneumoniae
Salmonella shottmuelleri
Serratia marcescens
Shigella dysenteriae

Staphylococcus aureus
Escherichia coli
Proteus mirabilis
Enterobacter aerogenes
Streptococcus faecalis
Salmonella typhi
Brevibacterium ammoniagenes

AOAC Fungicidal Test - ND-700 is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower rooms and bath areas, exercise facilities, etc.

Mold and Mildew Control - At 8 mL/L ND-700 will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance - At 8 mL/L use-level, ND-700 was evaluated in the presence of 5% serum and found to be effective against the Influenza A/Brazil Virus, Herpes and Vaccinia on inanimate environmental surfaces.

Sanitizing - Non-Food Contact Surfaces (such as floors, walls, tables, etc.): at 2.5 mL/L use-level ND-700 is an effective sanitizer against Staphylococcus aureus and Klebsiella Pneumoniae, in the presence of 5% serum on hard non-porous environmental surfaces.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))