

2000/02

Later's
Slug Killer
Pellets

Containing Mesurol (R)
For Flower Gardens & Lawns
Domestic

READ THE LABEL BEFORE USING

REG. NO. 17347 P.C.P. ACT

GUARANTEE: methiocarb 2%

500 g

* Mesurol (R) is a registered trade mark of Bayer A.G.

Later Chemicals Ltd.
12080 Horseshoe Way
Richmond, B.C. V7A 4V5

LATER'S SLUG KILLER PELLETS is a READY-TO-USE formulation. Simply scatter the pellets around the areas such as flower beds ornamental ground covers, and lawns frequented by slugs and snails.

Species of SLUGS AND SNAILS controlled: GRAY GARDEN SLUG, GRAY FIELD SLUG, SPOTTED GARDEN SLUG, EUROPEAN GARDEN SLUG, EUROPEAN BROWN SNAIL (Brown Garden Snail).

DIRECTIONS FOR USE: For best results, water area to be treated before application. Apply the product in the late afternoon, in the evening, or during mild damp weather when slugs and snails are active. Apply at the rate of 50 gram per 10 m² of area. Repeat as necessary to keep the area free of slugs and snails. Avoid heavy watering for 48 hours after application, but a light

watering applied at dusk will be more effective in controlling slugs and snails. For longer effectiveness and to protect the pellets from heavy rain, also to prevent birds and pets from eating the pellets, it is good practice to use a BAIT STATION and scatter the pellets underneath. Expired slugs should be collected and disposed of daily. Do not contaminate edible crops. Do not place pellets in piles.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. Harmful if swallowed, or absorbed through the skin. Do not get in eyes, or on skin. Wash thoroughly with soap and water after handling. Wash contaminated clothing before re-use. Avoid contamination of feed or food.

Warning: This product is toxic to fish, birds and wildlife. Do not contaminate lakes, ponds, streams, rivers or any water supplies.

FIRST AID: IF SWALLOWED, induce vomiting by inserting finger into mouth and touching back of the throat. Repeat until vomit fluid is clear. Contact a doctor or poison control centre at once. IF IN EYES, flush with water for 15 minutes. IF ON SKIN, wash with soap and water. Take container, label or product name and Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Atropine is antidotal. Do not give morphine.

DISPOSAL: Do not re-use empty container. Wrap container and discard with household garbage.

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))