

01-DEC-1998

**FORMULA**

**OMNITROL**

**600-W**

**INDUSTRIAL LIQUID MICROBICIDE NON FOAMING**

**GUARANTEE:**

**POLY [OXYETHYLENE (DIMETHYLIMINIO) ETHYLENE  
(DIMETHYLIMINIO) ETHYLENE DICHLORIDE].....1.5%**

**REGISTRATION NO.: 21201  
PEST CONTROL PRODUCTS ACT**

**READ THE LABEL BEFORE USING**

**KEEP OUT OF REACH OF CHILDREN**

**NET CONTENTS:**

NALCO CANADA INC.  
1055 Truman Street, P.O. Box/C.P. 5002  
Burlington, Ont.  
L7R 3Y9  
Tel: (905) 632-8791

In Case of Emergency, Phone **(1-800-463-3216)** (24 Hrs.)

TO CONTROL ALGAE, BACTERIA, AND FUNGI IN RECIRCULATING  
COMMERCIAL, INDUSTRIAL WATER COOLING TOWERS, AND AIR WASHERS. IS  
EFFECTIVE AT ALL pH VALUES AND, WILL NOT CAUSE FOAM.

**DIRECTIONS FOR USE:**

**COOLING TOWER SYSTEMS:** Prior to the use of OMNITROL 600-W in  
water cooling towers, system should be cleaned to remove organic,  
inorganic and microbiological deposits. An initial slug addition  
of 280 to 700 ppm should then be added to the sump of the cooling

water towers. Repeat the initial dosage until control is evident. Subsequent slug additions of 80 to 700 ppm should be added every 2 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem.

**INDUSTRIAL AIR WASHING SYSTEMS:** Prior to use in air washers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 1,000 to 1,600 ppm should then be added to the sump of the water collector trays. Repeat the initial dosage until control is evident. Subsequent slug additions of 700-1,600 ppm should be added every 1 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem. For use only in systems equipped with effective mist eliminating components.

**PRECAUTIONS:** Harmful if swallowed. Avoid breathing vapours. Avoid contact with skin, eyes or clothing.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds estuaries, oceans, or public waters. Do not reuse empty containers.

**DISPOSAL:**

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the Provincial Regulatory Agency or the Manufacturer.

**FIRST AID INSTRUCTIONS - IF IN EYES:** Flush thoroughly with water. If eye irritation persists, seek medical attention. **IF SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Centre immediately.

**NOTICE TO USER:** This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )