8-SEP-2003 Notification received of a label change. See below for this change.

Page 1 of 3

TRIASULFURON TECHNICAL

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING

GUARANTEE:

READ THE LABEL AND TECHNICAL BULLETIN BEFORE USING KEEP OUT REACH OF CHILDREN AND UNAUTHORIZED PERSONNEL

REGISTRATION NUMBER: **22597** PEST CONTROL PRODUCTS ACT

NET CONTENTS: 300 kg

Syngenta Crop Protection Canada, Inc. 140 Research Lane Research Park, University of Guelph Guelph, ON N1G 4Z3 (519) 836-5665

Notification Change

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the **PEST CONTROL PRODUCTS ACT** to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

FIRST AID:

IF POISONING IS SUSPECTED: Immediately contact a physician or a poison control centre. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed, promptly drink a large quantity of milk or gelatin solution. If these are not available, drink large quantities of water. DO NOT induce vomiting. Call a physician or poison control centre immediately.

If on skin, remove all contaminated clothing. Wash contaminated skin with soap and plenty of water.

If in eyes, flush contaminated eyes with water for at least 15 minutes.

If inhaled, remove individual from site of exposure.

Never give anything by mouth to an unconscious person. Remove victim to safe, uncontaminated area. If victim has ceased breathing, clear airway and start artificial respiration. Obtain medical attention or contact a poison control centre.

TOXICOLOGICAL INFORMATION

No specific antidote is available. Apply symptomatic therapy. If a large amount has been ingested, induce emesis or lavage stomach. Five mg/kg of activated charcoal suspension (50 g/400 mL of water) can be given to absorb remaining toxicant.

PRECAUTIONS

KEEP OUT REACH OF CHILDREN AND UNAUTHORIZED PERSONNEL

Strictly observe all precautions for handling and using pesticides. Avoid contact with skin, eyes and clothing. Do not contaminate food, feed or water supplies. Workers using this product in an open system must wear protective clothing: safety boots, coveralls, impervious gloves, safety glasses/face shield and cartridge-type respirator.

STORAGE

Store in original containers in a well-ventilated, cool, dry, and secure area. Ship and store away from food, feed or seed. Keep containers tightly closed.

DECONTAMINATION AND DISPOSAL

Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and information on clean up of spills, contact the provincial regulatory agency and the manufacturer.

IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING, CALL 1-800-327-8633 (FASTMED)

DIRECTIONS FOR USE

To be used only in the manufacture of a product which is registered under the **PEST CONTROL PRODUCTS ACT.** Read Technical Bulletin for formulation details.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service. +))