

92.03.30

DOMESTIC

400 mL

MADE IN CANADA

C-I-L

VEGETABLE INSECT KILLER

SEVIN*

Liquid

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

REG. NO. 17685 P.C.P. ACT

HILLVIEW FARMS LIMITED

Woodstock, Ontario
N4S 8P6

Laval, Quebec
H7S 1G3

Calgary, Alberta
T2H 2H7

5 mL = 1 teaspoon; 15 mL = 1 tablespoon

DIRECTIONS:

VEGETABLES - Potatoes, Tomatoes, Pepper, Eggplant - Controls Colorado Potato Beetle, European Corn Borer, Fall Armyworm, Fruitworms, Leafhoppers, Potato Flea Beetle, Plant Bugs and Tomato Hornworms. Apply when insects or damage appear. Mix 10 mL in 2 L of water to cover 10 m² area. Spray foliage to give thorough coverage. Repeat as needed. Can be used 1 day before harvest on tomatoes, peppers and eggplant and up to 7 days before harvest on potatoes.

STRAWBERRIES - Controls Meadow Spittle Bug and Strawberry Leafroller. Mix 12 mL per L of water and spray plants thoroughly when insects or damage appear. Repeat as needed. Can be used up to one day before harvest.

ORNAMENTALS - Use on a wide range of ornamental plants, flowers, shrubs and shade trees, including rose, carnation, gladiolus, zinnia, chrysanthemum, lilac, arbor vitae, juniper, hydrangea, azalea, elm, maple, oak, dogwood, birch and pine. Do not use on Boston Ivy or Virginia Creeper.

Controls Bagworm, Birch Leafminer, Blister Beetles, Boxelder Bug, Boxwood Leafminer, Elm Leaf Aphid, Elm Leaf Beetle, Flea Beetle, Gypsy Moth, Japanese Beetle, June Beetles, Lace Bugs, Leafhoppers, Leafrollers, Mealy Bugs, Oak Leafminers, Plant Bugs, Psyllids, Rose Aphid, Rose Slug, Scale Insects, Spruce Budworms, Tent Caterpillars, Thrips (exposed) and Willow Leaf Beetle. Use 10 mL per litre of water when insects or damage appear. Spray to give thorough coverage. Repeat weekly or as needed.

STORAGE AND DISPOSAL: Dispose of empty container in regular garbage. Store above 0 deg Celsius.

PRECAUTIONS: Product is harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Wash thoroughly after handling and before eating, drinking or smoking. Change contaminated clothing. May damage tender foliage if spraying is followed by several days of wet or humid conditions. Very toxic to bees. Do not spray when bees are active.

Keep children and pets away from treated area during application and until dry.

FIRST AID: Get medical attention immediately. If swallowed, cause vomiting. If patient is unconscious, give air and get medical attention. If on hands, wash with soap and water. If in eyes, flush with plenty of water and get medical attention.

TOXICOLOGY: SEVIN is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

* SEVIN is a trademark of Union Carbide Canada Ltd.

GUARANTEE: Carbaryl 150 g per litre

C I L is a trademark of ICI Canada Inc.
Hillview farms is a Registered User.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))