

92.03.17

INSECT-KURE(R)

WASP & HORNET KILLER

PRESSURIZED CONTACT & RESIDUAL SPRAY

CAUTION
EXPLOSIVE
CONTAINER MAY EXPLODE IF HEATED

DOMESTIC

REG. NO. 21506 P.C.P. ACT

READ LABEL BEFORE USING

GUARANTEE:

Pyrethrin	0.500%
Technical Piperonyl Butoxide	0.100%
N-Octyl bicycloheptene dicarboxim ide	0.166%
Propoxur	0.500%

325 g

EXCLUSIVE DISTRIBUTOR/DISTRIBUTEUR EXCLUSIF

AEROKURE INTERNATIONAL INC.
P.O. BOX 22
SHERBROOKE, QC
J1H 5H5

KILLS WASPS, BEES, HORNETS AND YELLOW JACKETS.

DIRECTIONS: Remove protective cap and point nozzle in direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from the distance of 2 to 2.5 metres. Allow sufficient time for insects to become dead or moribund. For best results application to nests should be made in late evening or early morning when insects are at rest.

RESTRICTIONS: Do not use indoors. Do not use on humans or animals. Do not use as a space spray.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and warm water after using. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not contaminate food, utensils or food preparation areas. Remove pets and cover fishbowls before spraying. Toxic to bees, fish and wildlife. Do not contaminate animal feeding areas. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container, or store at temperatures over 50 degrees C.

FIRST AID INSTRUCTIONS: In case of contact with skin, wash immediately with soap and warm water. If in eyes, flush with water for 15 minutes; call a physician. If irritation persists or accidentally swallowed obtain medical attention at once.

TOXICOLOGICAL INFORMATION: Propoxur is a cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

DISPOSAL: When container is empty press button to release all pressure. Do not throw in fire, wrap and dispose in household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))