

91.11.08

COMMERCIAL

Ficam(R)

Wasp & Hornet Spray

Contains Synergized Bendiocarb

Kills Wasps, Hornets, and Yellow Jackets

Guarantee:

Active Ingredients:	Percent by Weight
*Bendiocarb: (2,2 dimethyl- 1,3 benzodioxol-4-yl methylcarbamate)	0.1%
+Piperoryl Butoxide Technical	0.5%

\* Protected by U.S. Patent No. 3,736,338  
+ Equivalent to min. 0.40 % (bitylcabityl)(6 propylpiperonyl)  
ether and 0.10 % related compounds

REGISTRATION NO. 22103  
PEST CONTROL PRODUCTS ACT

CAUTION

POISON  
EXPLOSIVE

READ THE LABEL BEFORE USING

Manufactured For:

NOR-AM  
NOR-AM CHEMICAL COMPANY  
A Schering Berlin Company  
3509 Silverside Road, P.O. Box 7495  
Wilmington, DE 19803

Net contents:  
400 grams

Important: Read the entire Directions for Use and Warranty Notice  
before using this product.

KEEP OUT OF REACH OF CHILDREN  
CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be harmful if swallowed or absorbed through the skin. Do not get in eyes. Avoid breathing spray mist. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 50 deg. C may cause bursting.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place inaccessible to children and pets. Exposure to temperatures above 50 deg. C may cause bursting.

DISPOSAL: When container is empty, press valve to release all pressure. Replace cap and dispose of container in accordance with provincial requirements. Do not incinerate or contaminate water, feed or food products. For information on the disposal of unused, unwanted product and the clean-up of spills contact the regional office of the Environmental Protection Service, Environment Canada.

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by tickling back of throat with finger. Do not give anything by mouth to an unconscious person.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas

of skin with soap and water. Contact a physician if irritation persists. Wash clothing with soap and water before re-use.

#### TOXICOLOGICAL INFORMATION.

Contains Bendiocarb, an anticholinesterase carbamate insecticide. In case of overexposure atropine sulfate 2 mg should be injected and repeated as necessary until fully atropinized.

#### NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

IN CASE OF FIRE, LEAKY OR DAMAGED CONTAINERS, OR OTHER EMERGENCY, REPORT AT ONCE BY COLLECT TELEPHONE TO: 613-996-6666.

#### NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

#### DIRECTIONS FOR USE

Use only according to label directions.

Do not use as a space spray indoors.

Direct spraying will cause damage to plants on contact.

Do not allow spray to contact plastic, rubber or asphalt surfaces.

To be used in and around the home, apartments, commercial buildings, kennels, barns, patios, institutions, warehouses, theatres, office buildings, schools, motels, hotels, transformers, electrical boxes and those areas where wasps, hornets and yellow jacket nests are generally located.

To operate, remove protective cap and depress button, being sure to aim spray opening at the location to be sprayed. Direct spray at wasps, hornets and yellow jackets whenever possible and under eaves, into nests, cracks, holes or crevices wherever insects are noticed. Spray for about 1-2 seconds or until surface is moist from insecticide. To prevent entrance of insects into the house, spray around points where outside plumbing, faucets, etc. enter the house and into any cracks or crevices in the foundation as well as along sills and ledges.

KILLS WASPS, HORNETS, AND YELLOW JACKETS: This spray is fast

acting when insects are hit directly. With the breeze at back, thoroughly spray the nest until it is soaked. Allow about 24 hours for those insects which where not directly hit by spray to leave the area. If insects should return to the treated area, spray again. This container delivers a stream type spray, making it possible for the operator to stay back from the places sprayed. This formulation utilizes synergized Bendiocarb, a combination specifically effective on this class of insects. Application should be made in the evening when the hornets are at rest.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))