

87.05.14

DISTINCTIVE CHEMICAL SPECIALTIES, RESEARCH TODAY FOR PRODUCTS
OF TOMORROW

RESIDUAL INSECTICIDE SOLUTION

FOR INDUSTRIAL
AND INSTITUTIONAL USE ONLY

READ THIS LABEL BEFORE USE

KILLS: ANTS, BROWN DOG TICKS, CENTIPEDE, COCKROACHES, CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, MOSQUITOES, PAPERLICE, SANDFLIES, SILVERFISH, SOWBUGS, AND WASPS. EXPOSED STAGES OF: ANGOUMOIS GRAIN MOTH, CIGARETTE BEETLES, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, SAW-TOOTHED GRAIN BEETLES AND WEEVILS.

DIRECTIONS FOR GENERAL USE: For use in non-food areas of industrial, institutional and commercial locations where treatment will present no human hazard or contamination of food. Apply as a spot crack and crevice treatment with a low pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excess run-off. Apply to all insect breeding sites and harbourages. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary. Spray baseboards, cracks, crevices, around window and door frames; the under surfaces of shelves, drawers and work tables; beneath cabinets, refrigerators, sinks and stoves; in and around waste containers, switch panels, Junction boxes, floor drains and other places where cockroaches hide or rest.

ANTS: Apply to trails and places where ants enter premises such as window and door sills. Spray hills and runways outdoors.

HORNETS AND WASPS: Spray directly into the nest after dark when all of the insects have returned to the nest.

FLEAS, FLIES, GNATS. MOSQUITOES, AND SANDFLIES (outdoors only): Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.

PRECAUTIONS:

- Do not use as a space spray. Provide adequate

- ventilation of area being treated.
- Do not allow children to contact the treated areas until areas are thoroughly dry.
- Do not store near feed or food products. Avoid contaminating feed, food, food processing equipment and food handling surfaces.
- Do not apply to animals. Remove pets and cover fish bowls before spraying.
- Do not spray plants.

May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing of spray mist. Do not get in eyes, on skin, or on clothing. Wash all contaminated clothing with soap and hot water before re-use.

DISPOSAL: Do not re-use empty container. Dispose of in accordance with provincial requirements.

FIRST AID: Contains petroleum distillates. If swallowed, do not induce vomiting. In case of poisoning, call a physician immediately. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash immediately with flowing water for at least 15 minutes. If irritation persists, contact physician. Note to physician: Propoxur is a carbamate cholinesterase inhibitor. Atropine is antidotal.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

GUARANTEE:

PROPOXUR..... 1%

REGISTRATION NO. 17499 PEST CONTROL PRODUCTS ACT

CAUTION FLAMMABLE

NET CONTENTS LITRES

COPELAND LABORATORIES,
(TORONTO) REXDALE ONTARIO M9W 2Z6

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))