

05-OCT-1994

UNITED
LABORATORIES

FLYING & CRAWLING
INSECTICIDE

PRESSURIZED WATER-BASED
HOUSE AND GARDEN INSECT KILLER

UNITED C-149

DOMESTIC

Kills Common Pests:
Flies, Mosquitoes, Moths, Firebrats, Fleas, Ticks, Ants

Kills Common Plant Pests on Ornamentals:
Japanese Beetles, Aphids, White Flies

READ LABEL BEFORE USING

NET WT.: 468 g (16.5 oz)

GUARANTEE:

d-Trans Allethrin (allyl homolog
of Cinerin 1).....0.25%

Piperonyl butoxide,
technical.....0.80%

N-Octyl bicycloheptene
dicarboximide.....0.40%

REGISTRATION NO. 23792 PEST CONTROL PRODUCTS ACT

CAUTION EXPLOSIVE

Call Toll Free: 1-800-323-2594
Sold By: UNITED LABORATORIES OF CANADA, INC.
Downsview, Ont. M3J 2P8

ATLANTA-DALLAS-DENVER-JACKSONVILLE-PHILADELPHIA-RENO-TORONTO

USE ONLY AS DIRECTED ON THIS LABEL
SHAKE BEFORE USE
HOLD CONTAINER UPRIGHT
APPLY IN SHORT BURSTS

INDOORS:

To Kill Flies, Mosquitoes, Flying Moths, Gnats -

Space Spray: Close all doors and windows and direct spray upward into center of room with a slow, sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 1 hour after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Before spraying, cover or remove exposed food and utensils.

To Kill Ants, Sowbugs, Earwigs, Firebrats and Spiders - Spot

Treatment: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under skins, behind stoves and refrigerators. For control of ants, treat doors, windows, window sills, ant trails and other areas of entry. Repeat as necessary for control.

To Kill Fleas and Ticks: Remove all pets from home before spraying. Remove and destroy pet's old bedding. Spray all areas suspected of harbouring these pests, including animal bed frames, cracks and crevices, baseboards, spots of floor covering and under beds. Pets should be treated with a registered control product for fleas and ticks on pets before re-entering home. Do not spray this product directly on animals.

OUTDOORS:

To Protect Ornamental Plants: When sprayed directly on insects, this spray kills sucking insects: Aphids, Leafhoppers, Spotted Mites, Trips (exposed), Squash Bugs, Mealy Bugs, and Lace Bugs. Kills chewing insects: Army Worm Larvae, Mexican Bean Beetles, Climbing Cut-worms, Eastern Tent Caterpillar, and Japanese Beetles when sprayed directly on insects on Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Marigolds, Petunias, Roses, Snapdragons, Evergreens and small deciduous trees, shrubs and vines.

HOLD CAN 45 TO 60 CENTIMETERS

FROM THE PLANT WHEN SPRAYING

**Do Not Spray Cucumbers or
Other Food Crops**

For best results, spray in evening or on a cloudy day when air is still. Use slow, sweeping motion. Avoid wetting foliage with the spray. Spray rows at the rate of 30 centimeters per second. For heavy growth, spray row on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray when temperatures exceed 32EC.

This product may be used outside on porches, patios and in the yard and picnic areas to kill Flies, Mosquitoes, Gnats, and Flying Moths present at the time of treatment.

Spray area infested with these listed flying insects. Follow precautions listed above. Hold container 45-60 centimeters from shrubs, bushes and grassy areas with a slow, sweeping motion at the rate of 1 to 3 seconds per cubic meter of space while moving from treated areas. To reduce annoyance from these pests, treat porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

PRECAUTIONS:

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water.

Do not use in commercial food processing, storage, preparation or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover or remove exposed food.

Remove pets, birds and cover fish aquariums before spraying.

Do not use this product on any edible crop.

This pesticide is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 50EC. may cause bursting.

FIRST AID: If on skin, wash thoroughly with soap and water. IF in eyes, flush with water. If irritation persists, obtain medical attention. If accidentally swallowed, obtain medical attention at once.

DISPOSAL: Do not reuse empty container. Press button to release all pressure when empty. Wrap container and discard with household garbage.

STORAGE: Store in a cool area away from heat and open flame.

NOTICE TO USER: This Control Product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

Printed in U.S.A.

NOT INTENDED FOR CONSUMER HOUSEHOLD USE.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))