

97.12.15

COMMERCIAL

WHITMIRE(R)

PT(R) 240 PERMA-DUST

RESIDUAL CRACK & CREVICE SYSTEM

SYSTEME RESIDUEL POUR LEZARDES ET CREVASSES

FOR USE IN SUPERMARKETS, MOTELS, HOTELS, HOMES, APARTMENTS,
BUSES, BOATS, SHIPS, TRAINS, TRUCKS, PLANES, UTILITIES, MEAT
PACKING AND FOOD PROCESSING PLANTS, FOOD STORAGE AREAS,
RESTAURANTS AND OTHER FOOD HANDLING ESTABLISHMENTS, WAREHOUSES
AND OTHER COMMERCIAL BUILDINGS.

POUR UTILISATION DANS LES SUPERMARCHES, MOTELS, HOTELS, MAISONS,
APPARTEMENTS, AUTOBUS, BATEAUX, NAVIRES, TRAINS, CAMIONS, AVIONS,
SERVICES, USINES D'EMBALLAGE DE LA VIANDE ET DE TRANSFORMATION
DES ALIMENTS, ZONES D'ENTREPOSAGE DES ALIMENTS, RESTAURANTS ET
AUTRES ETABLISSEMENTS DE MANIPULATION DES ALIMENTS, ENTREPOTS ET
AUTRES EDIFICES COMMERCIAUX.

CAUTION/ATTENTION

EXPLOSIVE/EXPLOSIF

READ THE LABEL BEFORE USING/LIRE L'ETIQUETTE AVANT L'USAGE

GUARANTEE:

BORIC ACID.....20%

GARANTIE:

ACIDE BORIQUE.....20%

REG.NO./NO.D'ENR. 18488 L.P.A./P.C.P. ACT

NET WEIGHT/POIDS NET: 454 GRAMS

WHITMIRE RESEARCH LABORATORIES, INC.
ST.LOUIS, MO 63122

PT(R)240 PERMA-DUST

DIRECTIONS FOR USE:

Shake well before use until agitator ball rattles. Before storing after use, invert container and spray until air comes out to clear valve and spray nozzle. SPRAY IN UPRIGHT POSITION ONLY. Spray only in areas inaccessible to children and pets. Do not use as general space spray.

WHITMIRE PERMA-DUST PT 240 Residual is for use only with yellow injection tube and for injecting into cracks and crevices and void spaces where insects may be hiding, living and breeding. Place injector tip 2 cm into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In serious infestation place spots approximately 30 cm apart. In light infestation or preventative treatment place spots approximately 1 metre apart. In long running cracks move the injector tip along the crack while spraying. Move at the rate of 30 linear cm per second in heavy infestation and 1 metre per second in light infestation. This powder spray leaves a white residue. Should misapplication occur, wipe off visible residue. See the additional directions below for effective kill of specified insects. Avoid pantry shelves and other areas where food is stored.

CRAWLING INSECTS: Cockroaches. Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.

VOLUMETRIC TREATMENT OF INACCESSIBLE VOIDS: (false ceilings, wall voids, equipment voids and attics, crawl spaces and manholes where human contact with treated surfaces will be minimal).

For spray application with Whitmire Crack & Crevice Injection Equipment.

For exposed stages of Cockroaches. Calculate void horizontal surface area and treat at a rate of 3 seconds per square meter. Spray by placing injection tip into crack or crevice, hole or other small opening into void space. Repeat treatment as necessary.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS - places other than private residences in which food is held, processed, prepared or served.

APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Do not use as general space spray. Apply in small amounts directly into cracks and crevices using injection tube in points between different elements of construction, between equipment and floors, openings leading to voids and the hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air.

In food processing plants use only when plant is not in operation. Remove or cover all food, food processing equipment, packaging materials and utensils before application. After application wash all surfaces that may contact food and rinse with potable water before re-use for food processing.

PRECAUTIONS:

May cause eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes or on clothing. Wear goggles or safety glasses when applying. Wash thoroughly with soap and water after handling and before smoking or eating. Remove contaminated clothing and wash before reuse. Avoid contamination of food, utensils and food preparation areas. Spray only in areas inaccessible to children and pets. Do not use as general space spray.

STORAGE AND DISPOSAL

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 53°C may cause bursting.

Do not spray on plastic, painted or varnished surfaces. Do not spray directly into any electronic equipment such as radios, televisions, computers, motors or into outlets and switches or any other location where the powdery residue may foul or short electric contacts and circuits.

Store in a cool area away from heat or open flame. Do not reuse empty container. Wrap container and put in trash collection. KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

IF SWALLOWED: Induce vomiting and seek medical attention or call a Poison Control Centre. Do not induce vomiting if patient is semi-conscious or convulsing.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush with plenty of water. Get medical attention immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

REPRESENTANT CANADIEN:
Wilson Laboratories Inc.
36 Head Street
Dundas, Ontario L9H 3H3

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))