

11-DEC-2001

20-JUL-2007 Notification
Change in Registrant

COUNTER* 5-G

SOIL - INSECTICIDE
GRANULAR

(Mesh 2 mm/1.4 mm) contains terbufos

RESTRICTED

GUARANTEE: terbufos 5%

REGISTRATION No. 17037
PEST CONTROL PRODUCTS ACT

DANGER POISON

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

NET CONTENTS 20 kg

~~BASF~~

~~BASF Canada~~
~~345 CARLINGVIEW DRIVE~~
~~TORONTO, ONTARIO M9W 6N9~~
~~24710-05~~

Notification Change

Ambac Chemical Corporation
Suite 1250
4695 MacArthur Court
Newport Beach CA 92660
USA

*Registered Trademark

COUNTER* 5-G

BEFORE USING THIS PESTICIDE
STOP
READ THIS LABEL

PRECAUTIONS:

DANGER

KEEP OUT OF REACH OF CHILDREN

POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING

RAPIDLY ABSORBED THROUGH SKIN

REPEATED INHALATION OR SKIN CONTACT WITH COUNTER 5-G, OTHER ORGANOPHOSPHOROUS OR CARBAMATE INSECTICIDES MAY, WITHOUT SYMPTOMS PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING.

DO NOT GET IN EYES, ON SKIN, ON CLOTHING.

Wear freshly-laundered, long-sleeved work clothing daily. While transferring from package to equipment, wear a clean cap and rubber gloves. Sleeve cuffs should be worn over the gloves to prevent granules from falling into the gloves.

DO NOT HANDLE COUNTER 5-G WITH BARE HANDS. The rubber gloves should be washed with soap and water after each use. Do not wear the same gloves for other work. Destroy and replace gloves frequently.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water. Launder clothing before reuse. Wash thoroughly with soap and water before eating, drinking and smoking. Bathe at the end of the work day and change outer clothing.

DO NOT BREATHE DUST. While emptying bags into equipment, pour downwind and allow as little free fall as possible. Do not pour at face level and do not allow dust to reach the breathing zone. The use of a dust mask is recommended.

DO NOT CONTAMINATE FOOD AND FEED PRODUCTS.

KEEP ALL UNPROTECTED PERSONS OUT OF OPERATING AREAS.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME. This product is to be stored or displayed AWAY from food and feed. Store open bags in labelled sealed drums or heavy plastic bags.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

HIGHLY TOXIC TO FISH, BIRDS AND OTHER WILDLIFE. Do not contaminate any body of water or apply to any area not specified on the label.

To reduce the potential wildlife hazard, any COUNTER 5-G granules left on the soil surface due to accidental spill or when the seeder is lifted to make turns should be covered with soil.

DISPOSAL AND DECONTAMINATION INSTRUCTIONS:

WARNING:

Since alcohols are involved in the decontamination procedure AVOID smoking, open flames and sparks in the operating area.

Keep unprotected persons out of the contaminated area.

PERSONAL PROTECTIVE EQUIPMENT:

The prescribed protective clothing for persons involved with cleaning up spills consists of a hat, overalls, rubber apron, rubber boots and rubber gloves. DO NOT ALLOW product to contact eyes and skin. Launder clothing and clean protective equipment after use.

PROCEDURE FOR DECONTAMINATION OF SURFACES:

1. To minimize dust formation, cover spilled granules with an absorbent material such as sweeping compound. Sweep up the granules and place in a tightly closed labelled container. Store in a secure place away from food, feed and access to children. Contact BASF Canada, or the provincial regulatory agency to obtain details on how to detoxify product. Granules that remain in a broken bag should be transferred to a clearly marked, tightly closed alternate container and used in accordance with label instructions.
2. Dispose of broken bags in accordance with provincial requirements but DO NOT BURN. Dispose of empty alternate containers in accordance with provincial requirements.
3. Wash the surface with a bleach decontamination solution prepared by mixing nine (9) litres water with one (1) litre commercial bleach and one-half (0.5) litre of rubbing alcohol. Rinse with clean water. Clean up the liquid with absorbent material such as sawdust, sweeping compound, rags or other materials.
4. Repeat the washing with the bleach solution and water and clean up the liquid as instructed in point 3.
5. Dispose of the contaminated absorbent material in accordance with provincial requirements.
6. Wash disposal equipment with the bleach decontamination solution and rinse with clean water.
7. If spill occurs on the ground, collect the material and dispose of it as described in point 1. Treat the affected area with the decontamination solution and cover with clean soil.

DISPOSAL

- BAG:**
1. Make the empty bag unsuitable for further use.
 2. Dispose of the container in accordance with provincial

- requirements.
3. For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

BULK BAG: After use, return the bag to the point of purchase or designated locations. This bag must only be refilled with COUNTER 5-G. Do not reuse the bag for any other purpose. Prior to refilling inspect thoroughly for damage such as cracks, punctures, abrasions, and damaged or worn out threads on closure devices. Check for leaks after refilling and before transportation. Do not refill or transport damaged or leaking bags. If the bag is not being refilled, return to point of purchase.

For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**DANGER
POISON**

FIRST AID

ATROPINE IS AN ANTIDOTE.

CALL A PHYSICIAN OR POISON CONTROL CENTRE AT ONCE IN ALL CASES OF SUSPECTED POISONING.

If swallowed, drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen.

If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention or contact a poison control centre.

If spilled on skin, immediately remove contaminated clothing, including shoes and wash skin with soap and plenty of water. Wash clothing before reuse.

Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

WARNING SYMPTOMS include weakness, headache, tightness of chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Give atropine intramuscularly or intravenously depending on severity of poisoning, 2 to 4 milligrams every 10 minutes until fully atropinized as shown by dilated pupils, dry flushed skin and tachycardia. Twenty or thirty milligrams, or more may be required during the first 24 hours. Never give opiates, phenothiazine, tranquilizers or other depressants. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning cause increasing susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests. Pralidoxime chloride (2-PAM: PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NATURE OF RESTRICTION

This product is to be stored or displayed APART from food and feed.

- Wear protective clothing and rubber gloves while handling product.
- Do not handle product with bare hands.
- Do not breathe dust. Use of a dust mask is recommended.
- Cover granules that may be exposed on the ends of the treated rows, turns and field loading areas. Make sure that the hoppers of equipment are emptied while still in the field.
- All mixing equipment must be rinsed with the decontamination solution.
- Not to be applied by aircraft.

DIRECTIONS FOR USE

To minimize granule exposure to birds and wildlife, DO NOT broadcast seed or granules on the soil surface (whether or not followed by harrowing).

Before seeding, adjust the seeding equipment so that the required weight of seed and COUNTER 5-G is sown per hectare. Locate and bury any spills such as those which may occur during calibration or when the seeder is lifted to make turns at field ends. Ensure that all exposed seeds and COUNTER 5-G granules are completely covered with soil to minimize exposure to birds and wildlife.

RESTRICTED USES

RECOMMENDATION FOR USE ON CROPS

CROP	PESTS CONTROLLED	RATES	DIRECTIONS FOR USE
CANOLA (Rape) and MUSTARD: Application with seed at planting time.	Flea beetles	From 5.5 to 11.0 kg/ha	To control root and foliar feeding flea beetles mix 5.5 to 11.0 kg COUNTER 5G with enough seed to sow one (1) hectare. Adjust the flow rate to sow the combined weight of seed and COUNTER 5-G. If extreme infestations are anticipated, use the higher rate. When utilizing either a discer or air seeder, use the higher rate.
CANOLA (Rape) Application with seed at planting time.	Root Maggot	From 5.5 to 11.0 kg/ha	To reduce root maggot feeding damage mix 5.5 to 11.0 kg COUNTER 5G with enough seed to sow one (1) hectare. Adjust the flow rate to sow the combined weight of seed and COUNTER 5-G. EXAMPLE: If 5.5 kg of seed per hectare is to be sown, mix with 5.5 kg of COUNTER 5-G, adjusting seeding rate to sow 11 kg per hectare. At Planting Time: COUNTER 5-G and seed may be mixed by mechanical means or by stirring with a stick directly in the drill box. Dispose of stick as for empty bag. DO NOT HANDLE COUNTER 5-G WITH BARE HANDS.

CROP	PESTS CONTROLLED	RATES	DIRECTIONS FOR USE
	D		

<p>Winter Rapeseed (Eastern Canada only)</p> <p>Canola (Rape) and Mustard: Preblended with seed.</p>	<p>Flea beetles</p>	<p>From 5.5 to 11.0 kg/ha</p>	<p>Use as directed above for protection of the seedling crop from flea beetles feeding in the autumn period.</p> <p>COUNTER 5-G and seed may be carefully preblended using a customary mechanical mixer. Follow mixing instructions given in the Cyanamid manual.</p> <p>Bagging Instructions: Treated seed must be packaged in foil lined paper bags or 8 mil linear low density polyethylene bags or woven coated plastic bags. DO NOT use uncoated open-weave bags that allow escape of granules. Treated seed must be labelled as follows: "This seed has been treated with COUNTER 5-G Soil Insecticide (contains terbufos). DO NOT use for feed or oil processing".</p>
------------------------------------------------------------------------------------------------------	---------------------	-------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

FOR MORE PRODUCT INFORMATION, CALL TOLL FREE **1-800-387-5073**

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))