

86.07.10

GARDEX

ERA COCKROACH POWDER  
POUDRE ERA CONTRE LES BLATTES

USAGE RESTREINT/RESTRICTED

GARANTIE: FLUORURE DE SODIUM 70%  
GUARANTEE: SODIUM FLUORIDE 70%

NO.D'ENR./REG.NO. 8218 L.P.A./P.C.P. ACT

DANGER: POISON

LIRE L'ETIQUETTE AVANT L'EMPLOI/READ THE LABEL BEFORE USING

CONTENU NET 450 g NET CONTENTS

LES PRODUITS CHIMIQUES GARDEX LTEE  
91 BOUL CREMAZIE OUEST, MONTREAL, QUEBEC H2N 1L3

GARDEX CHEMICALS LTD.  
246 ATTWELL DR.,  
REXDALE, ONTARIO M9W 5B4

NOTICE TO USER - This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NATURE OF RESTRICTION: For sale only to pest control operators, farmers, and persons authorized in Government-approved pest control programs, where the vendor maintains a record of sales, including the name, address and signature of the purchaser, together with the quantity of product purchased.

RESTRICTED USE

COMMERCIAL AREAS: Directions to be followed carefully. Use

entire contents of ERA Roach Powder and/or as many more necessary for a first thorough application according to the size of the infested area.

Crack and Crevice Application: Blow or dust powder liberally into all cracks and crevices around woodwork over and under sinks, toilets, baths and only on the floor back of stoves and refrigerators. Do not expect immediate results.

For greater effectiveness powder should remain undisturbed for two weeks or until cockroaches have disappeared, as powder retains its killing power. ERA Roach Powder can be used with equal success to exterminate ants, silverfish and crickets.

Limitations: Cover or remove food, dishes and cooking utensils before applying. Avoid pantry shelves and other places where food is stored. Do not apply to damp or wet surfaces.

PRECAUTIONARY STATEMENT - WARNING: May be fatal if swallowed. May cause skin irritation. Do not breathe dust. Avoid contact with skin, eyes and clothing. Wash hands thoroughly after using or handling. Do not contaminate feed or foodstuffs. Keep out of reach of children and domestic animals. Highly toxic. Keep in original container. Do not contaminate kitchen utensils.

Symptoms of Poisoning: Nausea, vomiting, abdominal distress, diarrhea, stupor, weakness.

FIRST AID INSTRUCTIONS: Antidote: For Sodium Fluoride, if swallowed, cause vomiting, follow with large volume of limewater or milk of magnesia, strong coffee and aromatic ammonia. If these are not available hydrated lime in water or even ground wall plaster may be given. Give artificial respiration if breathing has stopped. Keep warm.

TOXICOLOGICAL INFORMATION - CALL DOCTOR IN CASE OF ACCIDENTS. Digitalis hypo & 650 mg calcium gluconate I.V. is recommended.

NON-WARRANTY - Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))