

QUINTOX

Rat & Mouse Bait

Kills Rats and Mice

REG. NO: 18893 P.C.P. ACT

COMMERCIAL

FOR LICENSED PEST CONTROL OPERATORS

GUARANTEE:
Cholecalciferol.....0.075%

READ THE LABEL BEFORE USING
(see back panel for additional precautionary statements)
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 2.5Kg (5.5 lbs)

Manufactured by: Bell Laboratories, Inc., 3699 Kinsman Blvd., Madison, WI 53704 USA
Tel: 608-241-0202

DIRECTIONS FOR USE: Use bait to control the Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*) and House mouse (*Mus musculus*) in and around dwellings, farm buildings serviced by pest control operators, food service establishments (non-food areas), granary bins (empty), processing plants (feed, food, non-food in non-food areas) and storage areas (non-food). **For areas not directly related to food processing:** Use only in non-food or non-feed areas where feed, food, packaging and handling equipment are never opened or exposed. **For areas where feed or food is processed, served or stored:** In meat and food processing plants (processing areas) use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before re-use of the plant (processing areas include storage and service).

GENERAL: Place bait in locations frequented by the rodents, such as tunnels, feeding areas, and runways. For rats place 60 - 100 g. of bait per station. For mice, set out 10 g. of bait at intervals of 2 to 3 m. Maintain an uninterrupted supply until feeding ceases.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC ANIMALS AND WILDLIFE. Do not expose treated bait in areas accessible to children, dogs, domestic animals and wildlife except when enclosed within a tamper-resistant bait box. Keep away from feed and foodstuffs. Do not contaminate food or feed. Do not contaminate any body of water.

FIRST AID: If in eyes, flush with water for 15 minutes. **If on skin,** wash with soap and water. **If swallowed,** give patient one or two glasses of water and INDUCE VOMITING by touching back of throat with a finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Contact a physician or poison control centre IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: If serum calcium levels are elevated, treatment with calcitonin is effective in reducing calcium to normal levels. Continue monitoring serum calcium and treat as necessary for hypercalcemia.

DISPOSAL: Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency in case of a spill and for clean-up of spills.

Rodent Disposal: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER: This control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

102506

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.