

93.04.28

PURGE(R)

CB-123

insecticide

PRESSURIZED SPRAY

COMMERCIAL

KILLS: Flies, Mosquitoes, Wasps, Gnats, Cockroaches, Ants, Crickets, Carpet Beetles, Centipedes, Millipedes, Sowbugs, Spiders, Silverfish, Indian Meal Moths, Angoumois Grain Moths, Confused Flour Beetles, Sawtoothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Small Flying Moths, Grain Mites, Bedbugs, and Fleas

For Use In Food Handling Establishments, Meat Packing, Food Processing Plants, Food Storage Areas, Food Transportation Vehicles, Commercial or Institutional Kitchens, Dining Areas and Pantries of Restaurants, Supermarkets, Bottling Plants, Hospitals, Hotels, Motels, Homes, Stores, Nursing Homes, Day-care Centers, Campgrounds, Buses, Trains, and Ships

READ THE LABEL BEFORE USING

GUARANTEE:

Pyrethrins	1.00%
Piperonyl butoxide, technical	2.00%
N-Octyl bicycloheptene dicarboximide	3.33%

See Additional Precautions on Back Panel

REGISTRATION NO. 23080
PEST CONTROL PRODUCTS ACT

WARNING EXPLOSIVE FLAMMABLE

Net Weight 652 g

MANUFACTURED BY:
WATERBURY COMPANIES, INC.

P.O. Box 1812
Waterbury, CT
06722
USA

Product of U.S.A.

DIRECTIONS FOR USE

Hold container upright while spraying.

FLYING INSECTS: Flies, Mosquitoes, Small Flying Moths, Wasps, Gnats Calculate m³ of space to be treated. Close all doors and windows. Shut off all ventilating systems. Prevent persons and animals from entering area. Spray in sweeping motion to all parts of the room. Apply for 2-3 seconds per 30 m³ of space. Sweep up and destroy fallen insects. Repeat treatment as necessary.

CRAWLING INSECTS: Cockroaches, Ants, Spiders, Silverfish Calculate m² of floor area to be treated. Open all cabinets, storage areas and closets. Spray directly on insects or in cracks and crevices where insects hide.

FOR COCKROACHES: For best results, spray directly on cockroaches and thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces, under sinks, behind stoves and refrigerators, food storage areas, and wherever these pests are suspected of hiding. Also, spray around door- and windowframes. Repeat as necessary.

FOR SPIDERS AND SILVERFISH: For control of these insects, frequent and repeated spraying of baseboards, windows, doorframes, bookcases, and storage areas should be made. For adequate control, spray directly on insects.

FOR CRICKETS: Spray thoroughly and frequently behind stoves, refrigerators, under cabinets, in food storage areas, and especially in closets, basements, and other damp areas. For best results, spray directly on insects.

FOR ANTS: Spray ant trails, nests and points of entry. For initial clean-up, apply for 10-15 seconds per 9 m² of floor area.

Then periodically spray as a space aerosol 3-5 seconds per 3 m³ of space.

FOR INDIAN MEAL MOTHS AND ANGOUMOIS GRAIN MOTHS: Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 30 m³ of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

FOR CARPET BEETLES: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary.

FOR CONFUSED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES, GRANARY WEEVILS, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 9 m² of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary.

FOR BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

FOR FLEAS: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Do not use directly on pets.

TREATMENT FOR INACCESSIBLE VOIDS (Attics, False Ceilings, Wall and Equipment Voids): For exposed stages of Cockroaches, Spiders, Ants, Silverfish, Crickets, Centipedes, Millipedes, Sowbugs, and Beetles Calculate void volume and treat at a rate of 20 seconds per 30 m³ (for 6.8kg container 10 seconds for 30 m³). Spray by placing injection tip into crack or crevice, hole or other small opening into void space. Repeat treatment as necessary.

Ensure proper ventilation after sealed areas have been treated. Sweep up and destroy dead insects.

NOTICE TO APPLICATOR: During any volumetric treatment, wear an approved pesticide respirator.

OUTDOOR GROUND APPLICATION: To kill fleas, mosquitoes and gnats in open areas near buildings and in campgrounds, best results are obtained when temperature is 24°C or less and there is wind speed

of 8 km per hour or less. Apply at a rate of 60-80 seconds per 0.4 hectare (for 6.8 kg container spray 30-40 seconds per 0.4 hectare). Spray in wide sprays across area to be treated. Repeat treatment as necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed or absorbed through skin. Avoid breathing of vapors or spray mist. Do not remain in treated areas. Avoid contact with skin or eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying food processing plants, thoroughly wash all equipment, benches, shelving, etc. where exposed food will be handled and rinse with potable water. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 50°C may cause bursting.

Do not spray on plastic, painted or varnished surfaces or directly into electronic equipment such as radios, TVs, computers, etc.

Remove pets, birds and cover fish aquariums before spraying.

FIRST AID INSTRUCTIONS: In case of contact with eyes or skin, flush with water. If irritation persists, seek medical attention. If accidentally swallowed, seek medical attention at once.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada.

NOTICE TO USER: This Control Product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))