

96.06.05

NET CONTENTS: 4 L

MULTIVAP PYR

Ready to use insecticide

Kills flies, mosquitoes, biting midges.

COMMERCIAL

For

- Dairies
- Piggeries
- Poultry houses
- Barns

GUARANTEE: (W/W)

Pyrethrins	0.2%
Piperonyl Butoxide	1.0%

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NUMBER 24516  
PEST CONTROL PRODUCTS ACT

vision graph PPL inc  
6171 Marivaux  
St. Léonard, Qc  
Canada H1P 3H6  
Tel.: (514)327-1240  
Fax: (514) 327-2551

DISPAR

Division of Vétoquinol Canada Inc.  
Joliette, Canada, J6E 8R8

DIRECTIONS: Shake well before using. Close doors, windows and other openings and remove animals from building before application. Apply with a mist fogger (non-thermal) or manual pump at a rate of 200 mL/100m<sup>3</sup>. Apply to cracks, crevices and wall surfaces. Direct spray, upwards, towards ceilings and walls or straight on insects. Keep area closed for 10-20 minutes after fogging. Ventilate thoroughly before reentering treated areas. Repeat as necessary. Do not use in rooms where milk is processed, handled or stored.

When using a mist fogger, the equipment must be maintained and operated in accordance with the manufacturer's instruction manual.

NOTE: Treatment should be made before or after milking only.

PRECAUTIONS: Apply only when the dairy is not in operation. Do not use directly on food or milk. Cover all food processing surfaces, milk utensils and dairy processing equipment. Avoid contamination of feed and water troughs.

KEEP OUT OF REACH OF CHILDREN.

Thoroughly clean all food processing equipment with potable water before resuming operations. Avoid contact with skin. Do not inhale spray mist. Wash after using. Do not store near food water and litter. Keep in original container during storage. Store in a cool, well ventilated place. Do not use in areas where beekeeping equipment or supplies are being stored .

FIRST AID: This product contains petroleum distillate; harmful if swallowed, inhaled or absorbed through skin.

In case of poisoning, call a physician or poison control centre immediately.

If on skin, remove contaminated clothing and wash skin thoroughly with soap and water. If in eyes, flush with water for 5-10 minutes and obtain medical attention.

If swallowed, do not induce vomiting, but rush the patient to the nearest hospital or doctor's office, taking the pesticide container with you.

DISPOSAL: 1) Thoroughly empty the contents of the container into the application device. 2) Follow provincial instructions for

any required additional cleaning of the container prior to its disposal. 3) Do not reuse empty container. Make the empty container unsuitable for further use. 4) Dispose of the container in accordance with provincial requirements. 5) For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions .

952040

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))