

20-APR-2007

Label, Main panel

NET CONTENTS: 4.5 kg (10 lbs.)

## DISPAR RODENT CAKE

Mold Resistant - Moisture Resistant  
Kills Rats and Mice  
COMMERCIAL

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

GUARANTEE:  
DIPHACINONE..... 0.005%

Contains malathion at 0.009% and calcium propionate at 0.378% as preservatives.

Warning, contains the allergens wheat, soybean oil, lecithin.

REGISTRATION NUMBER: 22760 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

VÉTOQUINOL N.-A. INC.  
2000 chemin Georges, Lavaltrie, QC  
CANADA J5T 3S5  
1-800-363-1700

## Label, Secondary panel

### GENERAL INFORMATION:

For control of Norway rats (*Rattus norvegicus*), roof rats (*Rattus rattus*) and house mice (*Mus musculus*) indoors and against the outside walls of homes, industrial and agricultural buildings, food service establishments (non-food areas), processing plants (non-food areas) and similar man-made structures.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where rodents or their signs have been observed. Remove as much food as possible.

**USE LIMITATIONS:** Baits **MUST** either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. **DO NOT** place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

To ensure safe use of this product, tamper-resistant bait stations must have the following characteristics:

- constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children and non-target animals;
- entrance designed so that children and non-target animals cannot reach the bait;
- internal structure that prevents bait from being shaken loose;
- access panel that fastens securely and locks (e.g., metal screw or padlock);
- capable of being securely fastened to a surface (e.g., nailed down); and
- clearly labelled “WARNING POISON”.

### DIRECTIONS:

Each **DISPAR RODENT CAKE** consists of a 456 g slab scored to be broken into 4 pieces of 114 g each.

**RATS:** Break and apply 1 to 4 pieces of **DISPAR RODENT CAKE** at intervals of 5 to 10 metres. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

**MICE:** Break each 114 g piece of **DISPAR RODENT CAKE** into 4 pieces of 28.5 g each. Place one 28.5 g piece of **DISPAR RODENT CAKE** at every 2.5 to 4 metres intervals. Two 28.5 g pieces may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for a period of 15 days or until signs of mouse activity cease.

**RATS & MICE:** Treated baits must be placed in tamper resistant bait stations or in location not accessible to children, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Replace contaminated or spoiled bait immediately. Collect and dispose of unconsumed bait and dead animals according to the **DISPOSAL** section. To prevent reinfestation, eliminate food, water and harbourage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

**Food Processing, Food Manufacturing, Food Storage and Food Service Areas:** For areas not directly related to food processing: Use only in non-food or non-feed area where feed, food, packaging and handling equipment are never opened or exposed. For areas where feed or food is processed, served, or stored: In meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before reuse the plant (processing areas include storage and service).

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PET AND LIVESTOCK.** May be harmful of fatal if swallowed or absorbed through the skin. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves when handling this product. Chemical-resistant gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

**FIRST AID:** If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give patient one or two glasses of water and induce vomiting by inserting finger down throat; repeat until vomit fluid is clear. For all cases of human ingestion, immediately notify a physician or Poison Control Centre. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. If pet or livestock poisoning is suspected, immediately contact a veterinarian.

**TOXICOLOGICAL INFORMATION:** Vitamin K<sub>1</sub> in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.), will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

**STORAGE:** Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

**DISPOSAL:** 1. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. 2. Make the empty container unsuitable for further use. 3. Dispose of the container, unconsumed bait and dead or exposed animals in accordance with provincial requirements. 4. For information on disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.