LEMON-QUAT

GERMICIDAL CLEANER

COMMERCIAL

Highly concentrated Germicide
Based on a Blend of Quaternaries with
Organic Soil Load Tolerance
Mildewstat - Virucide - Deodorizer

GUARANTEE:

Octyl Decyl Dimethyl Ammonium Chloride	3.750%
Dioctyl Dimethyl Ammonium Chloride	1.875%
Alkyl (40% C12; 50% C14; 10% C16)	
Dimethyl Benzyl Ammonium chloride	5.000%

REGISTRATION NO. 21844
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

DANGER

POISON - CORROSIVE

KEEP OUT OF REACH OF CHILDREN

See side panel for precautions

NET CONTENTS
41, 201, 2041,

KIRVEK INDUSTRIAL CHEMICAL & M.F.G. CORP. Scarborough, Ont. M1R 2T4

LEMON-QUAT GERMICIDAL CLEANER is formulated to clean and disinfect effectively and is virucidal when used as directed. It's hard surface disinfecting action will reduce the hazard of cross-contamination from environmental surface. When used as directed.

LEMON-QUAT GERMICIDAL CLEANER will deodorize toilet-areas, behind and under sinks and counters, garbage cans and garbage storage areas, and will inhibit the growth of mold and mildew and their odours when used as directed. This product is economical to use because it is highly concentrated and should be handled with care.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN - DANGER - CORROSIVE TO EYES, ON SKIN OR CLOTHING - HARMFUL IF SWALLOWED - AVOID CONTAMINATION OF FOOD.

FIRST AID TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada.
- 5. For small spills, recover free liquid. Soak up residue with solids absorbant. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE

LEMON-QUAT GERMICIDAL CLEANER is a proven "one-step" cleaner disinfectant-sanitizer-fungicide-virucide in the presence of moderate amounts of organic soil.

Apply LEMON-QUAT GERMICIDAL CLEANER to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks and bedframes, with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily

soiled areas, a preliminary cleaning is required. Prepare as fresh solution daily or when used solution becomes visibly dirty.

DISINFECTION - To disinfect hard, non-porous surfaces, add 4 mL/L of water. Treated surfaces must remain wet for 10 minutes. this use-level LEMON-QUAT GERMICIDAL CLEANER is also virucidal, fungicidal

SANITIZING - To sanitize porous or non-porous, non-food contact surfaces, add 1.5 mL/L of water.

4 mL/L use level. The broad spectrum of LEMON-QUAT GERMICIDAL CLEANER has been evaluated in the presence of 5% serum and found to be effective against the following AOAC Use-Dilution test.

Pseudomonas sariginosa Klebsiella pneumoniae

Enterbacter aerogenes Staphylococcus aureus
Salmonella choleraesuis
Escherichia coli
Salmonella dyseneteriae Brevibacterium ammoniagenes

AOAC Fungicidal test

LEMON-QUAT GERMICIDAL CLEANER is effective against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, showers and bath areas, exercise areas, dressing rooms.

Mildewstatic Performance: At 4 mL/L LEMON-QUAT GERMICIDAL CLEANER will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance: At 4 mL/L use-level LEMON-QUAT GERMICIDAL CLEANER was evaluated in the presence of 10% serum and found to be effective against the following viruses: herpes simplex (a member of the virus family that causes infectious mononucleosis. Vaccinia (representative of the pox viruses), and influenza A2 (the Hong Kong flu virus) on inanimate environmental surfaces.

Aerosol: Spray away from face evenly over surface to be cleaned. Wipe clean. For heavily soiled areas, allow foam to remain up to a minute before wiping.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label

information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))