26-FEB-2002



INSECTICIDE/FUNGICIDE INSECTICIDE/FONGICIDE COMMERCIAL

CAUTION:

Exposure to Captan may produce long term health effects. To minimize exposure, follow directions outlined on this label. This product contains Rhodamine B dye which had been determined to be of toxicological concern.

ATTENTION:

L'exposition au CAPTANE peut produire des effets à long terme sur la santé. Pour minimiser l'exposition, suivre, les instructions qui figurent sur la présente étiquette. Ce produit contient de la rhodamine B, un colorant qui présente de risque toxicologiques.

DANGER



POISON

READ THE LABEL BEFORE USING LIRE L'ÉTIQUETTE AVANT L'EMPLOI

REGISTRATION NO. 13951 PEST CONTROL PRODUCTS ACT **ANTIPARASITAIRES**

N^o D'HOMOLOGATION 13951 LOI SUR LES PRODUITS

CALL A DOCTOR IN CASE OF **ACCIDENT**

APPELEZ UN MÉDECIN EN CAS **D'ACCIDENT**

GUARANTEE:

GARANTIE: 15% Diazinon 15% Diazinon Gamma BHC (from Lindane) 25% HCH Gamma (du lindane) 25% Captan 15% Captane 15%

NET: 50 g

Notification Change

UNITED AGRI PRODUCTS CANADA INC. 789 DONNYBROOK DRIVE DORCHESTER ON NOL 1G5

UNITED AGRI PRODUCTS
R.R. #2
Dorchester, Ontario NOL 1G5

EPA EST. No. 42056-IL-1

Diazinon Lindane Captan drill box seed treatment powder contains Diazinon and Lindane for the control of wireworm and seed corn maggots on corn, beans, soybeans and peas and Captan, to supplement previous fungicidal treatment for seedling blight and seed rot.

DIRECTIONS FOR USE

Use this product only on seed previously treated with Captan or Thiram. Do not use on seed already treated with an insecticide (other than methoxychlor or malathion). Apply to seed at or near planting time at 50 g/22.7 kg of seed. When starting with an empty planter, place enough treated seed in the planter box to cover the bottom. Treat this seed in a separate container that later can be destroyed. Add the remaining seed to the planter box and treat by thoroughly stirring with a paddle so that the seed is coated with the seed treatment. If not seeded immediately, seed within one month of treatment. DO NOT USE BARE HANDS.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

NEVER HANDLE MATERIAL WITH BARE HANDS. Use rubber gloves; do not use leather or cloth gloves. Avoid spilling on skin or clothing. Do not breathe dust. When treating, auguring or handling treated seed, work in well-ventilated area and wear a respirator and goggles and rubber gloves. When handling or applying, wear goggles, clothing that completely covers arms and legs to minimize exposure. Change contaminated clothing daily and wash thoroughly before reuse. Wash hands, face and arms thoroughly after handling Diazinon-Lindane-Captan and before drinking, eating, smoking and before re-use. Shower after use or at the end of the work day. If an accident occurs remove contaminated clothing and wash skin thoroughly with soap and water. Wash clothing and gloves before re-use. Always work out of the wind during mixing and loading operations. Keep unprotected persons out of operating area or vicinity where there may be drift. Do not contaminate food or feed. Do not contaminate any body of water. Lindane is toxic to fish, birds and other wildlife. Avoid treating areas inhabited by wildlife.

Label unplanted treated seed as follows: "POISONOUS TO MAN AND

ANIMALS. This seed has been treated with Diazinon and Lindane for the control of insects, and Captan for disease control. Do not use for food or feed purposes. Do not sell to oil mills."

FIRST AID

In case of poisoning, call a physician or contact a poison control centre immediately. IF ON SKIN, remove contaminated clothing and wash skin thoroughly with soap and water. IF IN EYES, flush with water for 15 minutes and obtain medical attention. IF SWALLOWED, call a physician or contact a poison control centre immediately. Give the patient 1-2 glasses of water, and cause vomiting by giving one dose of syrup of ipecac. If the patient does not vomit within 20 minutes, give a second dose. If syrup of ipecac is not available, give the patient 1-2 glasses of water and cause vomiting by inserting a finger down the throat. Repeat with water until vomit fluid is clear. The patient should be lying down with the head below the level of the feet. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGY

Diazinon may cause cholinesterase inhibition. Atropine is antidotal. Lindane is an organochlorine insecticide. Barbiturates may be given to control convulsions. Oxygen may be indicated. Keep patient quiet. Avoid use of morphine and adrenaline. Symptoms of Poisoning: nausea, vomiting, hyper-irritability, convulsions and/or coma and other symptoms typical to organochlorine or organophosphate insecticide poisoning.

DISPOSAL

- 1. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 2. Make the empty container unsuitable for further use.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER - This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER - Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))