

2001/2002

## **GREENLEAF(R)**

### **Lawn Weed Killer**

CONTROLS MOST LAWNS WEEDS, such as dandelions, clover, chickweed, buttercup, plantain, ragweed, shepherd's purse, black medic, veronica etc.

**CAUTION POISON**

**READ THE LABEL BEFORE USING.**

**DOMESTIC**

**REG. NO. 15405 P.C.P. ACT.**

**GUARANTEE:**d- isomer of mecoprop  
100g/L 2,4-D 100g/L  
(both present as amine)

**1 L**

COVERS 800 m2

GREENLEAF PRODUCTS INC.  
4612 DAWSON ST., BURNABY, B.C. V5C 5P8

**DIRECTIONS:** Greenleaf Lawn Weed Killer is concentrated and contains a special formula to control many different lawn weeds, roots and all\*. Mixed with water and when used as directed, it will not harm lawn grass. For best results, apply when weeds are actively growing and weather is warm in spring, summer and fall. Do not use during a long excessively dry or hot period (over 29 C) and do not apply when rain is expected. Do not water lawn within 24 hours of application. Spray evenly and thoroughly. Repeat as necessary. Newly seeded Lawns may be treated after they have been mowed at least 3 times. A watering can or hose end sprayer may be used. **Maximum Application Frequency:** For good turf/lawn management normally two applications per year per treatment site are adequate. This does not include spot treatments.

#### **\*WEEDS CONTROLLED:**

Dandelion, Black Medic, Buttercup, Chickweed, Clover, Cornspurry, Curled Dock, Dock, English Daisy, Fall Hawkbit, Grass Leaved

Stitchwort, Ground Ivy, Heal-all, Knotweed, Mallow, Mossy Stonecrop, Narrow Leaved Plantain, Ox Eye Daisy, Ragweed, Shepherd's Purse, Speedwell, Thyme-Leaved Sandwort, Wild White Clover, Poison Ivy

TOP GROWTH ONLY: Bindweed and Canada Thistle.

15 mL = 1 tbsp.                                      1 m = 1 long pace  
5 L = approx. 1 gal. imp.                        25 m<sup>2</sup> = 5m x 5m

**HOW TO USE:** Mix 30 mL of **Greenleaf Lawn Weed Killer** with 5 L of water to cover 25m<sup>2</sup> (or 6 mL with 1 L of water per 5m<sup>2</sup>).

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Avoid inhalation and contact with skin, eyes or clothing. **Protective Clothing:** Wear long-sleeved shirt, long pants, socks, shoes and chemical-resistant (e.g. rubber) gloves. **Operator Use Precautions:** Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately, then wash thoroughly and put on clean clothing. Remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. Re-use gloves for pesticide application only. **Re-entry Interval:** Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

**ENVIRONMENTAL HAZARDS:** Do not contaminate streams, lakes, or ponds. Avoid spray drift onto desirable plants as spray could injure cultivated species. Bent grass may be injured or killed. Do not use same sprayer for other purposes.

**FIRST AID:** IF SWALLOWED, induce vomiting and contact a doctor or poison control centre at once. Never give anything by mouth to an unconscious person. IF IN EYES, flush with water for 15 minutes and get medical attention. IF ON SKIN, remove contaminated clothing and wash skin thoroughly with soap and water.

**STORAGE:** Keep product in original container. Store in a cool, dry place away from food, feed, seeds, fertilizer, insecticides or fungicides.

**DISPOSAL:** Do not re-use container. Rinse thoroughly and use rinse-water with regular spray. Wrap container in newspaper and dispose of in regular garbage.

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

(R) (Canada) Registered Trade Mark of Greenleaf Products Inc.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))