

1304592

K-R-S®
SPRAY FOAM WITH Co-Ral®

AN EASY-TO-USE INSECTICIDE FOR TREATMENT AND PREVENTION OF
FLY MAGGOTS IN WOUNDS ON BEEF CATTLE AND HORSES

AGRICULTURAL

GUARANTEE: coumaphos 3%

This product contains the toxic formulant methylene chloride at 80.6%.

REGISTRATION NO. 15103 PEST CONTROL PRODUCTS ACT



DANGER
POISON



CAUTION **EXPLOSIVE**

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 454 g



Bayer Inc.
Agriculture Division, Animal Health
Division Agricole, Santé Animale
77 Belfield Road
Toronto, Ontario, Canada M9W 1G6

K-R-S Spray Foam Insecticide

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

DIRECTIONS FOR USE: Shake well before using. Hold spray nozzle 7 to 25 centimetres from the wound area to be treated and apply a protective coating on and around the wound.

For the treatment of wounds infested with fly maggots on beef cattle and horses, spray wounds until complete coverage is obtained. Repeat as necessary, but not more often than weekly.

For prevention, spray a protective coating on new wounds from dehorning, castration, docking, injury, etc. as soon as possible to avoid infestation. Repeat as necessary, but not more often than weekly.

LIMITATIONS: Do not apply in conjunction with oral drenches, internal medications, rotenone or with natural or synthetic pyrethroids or synergists. Do not apply to cattle within 7 days of slaughter. Do not apply to horses that are to be slaughtered for food.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful or fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and warm water after handling. Wash all contaminated clothing with soap and hot water before reuse. Do not contaminate feed or food. Do not contaminate any body of water.

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 54°C may cause bursting. Never throw container into fire or incinerator.

FIRST AID: If poisoning occurs, obtain prompt medical aid or call a Poison Control Centre. **If on skin**, wash thoroughly with soap and water. **If in eyes**, flush with clean water. If irritation persists, obtain medical attention or contact a poison control centre.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This compound depresses cholinesterase. Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

®Co-Ral is a Reg. TM of Bayer AG, used under licence by Bayer Inc.

008270

See bottom of can for Lot No.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))