

95/2000

CUPRISTAT

Liquid Concentrate

Fungicide For The Control Of  
Sapstain On Freshly Sawn Lumber

Guarantee:  
Copper-8-quinolinolate...10.0%

CAUTION

SKIN AND EYE IRRITANT  
READ THE LABEL BEFORE USING

Registration No.: 20699  
PEST CONTROL PRODUCTS ACT

208 liters

DIACHEM INDUSTRIES LTD.  
11420 Blacksmith Place  
Richmond, BC  
V7A 4X1

Sellers guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use of handling of this product and accepts the product on that condition.

DIRECTIONS FOR USE FOR SAPSTAIN CONTROL

GENERAL INFORMATION:

CUPRISTAT treatment should be applied to freshly cut hem-fir or Douglas fir lumber and debarked timber products within 24 hours of cutting or sawing, especially in warm weather. Treated wood should be protected from heavy rainfall until completely dry.

PREPARATION:

Dilute 1 volume CUPRISTAT with 10 to 15 volumes of water. Higher concentrations (i.e. lower dilutions) of CUPRISTAT will give

longer sap stain control and should always be used on Douglas fir.

#### APPLICATION:

Lumber and debarked timber is best treated with spray equipment. A dipping process can be used if the equipment allows complete coverage of the wood surface by the treatment mixture.

#### SPRAY TREATMENT:

Spraybox must be maintained under negative pressure to prevent the escape of entrained aerosols. Opening of spraybox must be fitted with flexible curtain or other mechanism to contain spray droplets. The fungicide mixture should be applied as a coarse spray to thoroughly cover the wood surface. Run-off should be collected for re-use. Spray equipment should be inspected regularly to ensure that complete coverage of the wood surface is being achieved at all times.

#### DIPPING TREATMENT:

Wood should be dipped in and completely covered by the treatment solution for at least three (3) minutes. Treated wood should be allowed to drain and the solution collected for re-use. Wood should be properly spaced during the dipping process to ensure that all surfaces are completely covered by the treatment mixture. Not for use in drive through dip tanks.

#### COVERAGE:

As a spray, 1 liter of diluted solution will treat 4 to 6 square meters of wood depending upon the type of wood. As a dip, 20 to 40 liters will treat 1000 board.

#### DISPOSAL:

This product is toxic to fish. Treat effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of the Environmental Protection Service, Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM

ENVIRONMENT CANADA AS IN #4.

FIRST AID:

If swallowed, drink 1 or 2 glasses of milk. Get medical attention. If splashed on skin, wash thoroughly with soap and water. If splashed in eyes, wash eyes immediately with copious amounts of water, and secure medical attention.

CAUTION:

KEEP OUT OF REACH OF CHILDREN. Do not use on wood that may come into contact with food, feed, or drinking water. Avoid contact with eyes, skin or clothing. Wear goggles and rubber (e.g. Neoprene) gloves when handling. Wash thoroughly before smoking or eating. Avoid inhalation of spray or mist.

TOXICOLOGICAL INFORMATION:

CUPRISTAT is a mild eye irritant. It imparts a light greenish colour to the skin and eyes, and is therefore easily identifiable should contact occur. It will impart no permanent injury, but should be removed immediately to forestall eye damage.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

For further information on appropriate handling and use procedures refer to the Code of Good Practice in the use of oxine copper suspension concentrate fungicides for the control of sapstain on freshly sawn lumber available through Diachem Industries Ltd.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))