

1995/2000

EMUL PLUS NO 4

COMMERCIAL

READY TO USE INSECTICIDE

KILLS FLIES, MOSQUITOES, GNATS.

FOR DAIRIES, PIGGERIES, POULTRY HOUSES AND BARNs.

REGISTRATION NO. 20945 PEST CONTROL PRODUCTS ACT

GUARANTEE:

D-TRANS ALLETHRIN.....	0.10%
Piperonyl Butoxide.....	1.0%

READ LABEL BEFORE USING

NET CONTENTS

18 LITRES

PLUS INC.

143, Chemin St-Dominique  
St-Pie de Bagot, J0H 1W0

DIRECTIONS:

Shake well before using. Close doors and windows and other openings and remove all animals from buildings before application. Apply with a mist fogger (non-thermal) or manual pump at a rate of 200 mL per 100 m<sup>3</sup>. Wear a mask or respirator and protective clothing. Apply to cracks, crevices and wall surfaces. Direct spray upwards, towards ceilings and walls or straight on insects. Keep area closed for 10-20 minutes after

fogging. Ventilate thoroughly before re-entering treated areas. Repeat as necessary. Do not use in rooms where milk is processed, handled or stored. When using a mist fogger, the equipment must be maintained and operated in accordance with the manufacturer's instruction manual.

NOTE:

Treatment should be made before or after milking only.

CAUTIONS:

Apply only when the dairy is not in operation. Cover or remove all food processing surfaces, milk, utensils, and dairy processing equipment. After spraying, wash all surfaces that may contact milk food and rinse thoroughly with potable water before reuse. Avoid contamination of feed and water-troughs.

KEEP OUT OF REACH OF CHILDREN.

Thoroughly clean all food processing equipment with potable water before resuming operations. Avoid contact with skin. Do not inhale spray mist. Wash after using. Do not store near food water or litter. Keep in original container during storage. Store in a cool, well ventilated place. Do not use in areas where beekeeping equipment or supplies are being stored.

FIRST AID:

This product contains petroleum distillate; harmful if swallowed, inhaled or absorbed through skin. In case of poisoning, call a physician immediately. If on skin, remove contaminated clothing and wash skin thoroughly with soap and water. If in eyes, flush with water for 5-10 minutes and obtain medical attention. If swallowed, do not induce vomiting, but rush the patient to the nearest hospital or doctor's office, taking the pesticide container with you.

DISPOSAL:

Rinse the emptied container thoroughly and add the rinsings to the spray tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection Service, Environment Canada.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))