

19-JUN-2003 Notification received of a label change. See below for this change.

13-AUG-2001

((LABEL))

Aventis

Ficam® D

1% (one percent) Dust Insecticide

COMMERCIAL

For the control of spiders, cockroaches, ants, fleas and other pests in and around buildings by Pest Control Operators.

REGISTRATION NO. 16080
PEST CONTROL PRODUCTS ACT

GUARANTEE: Bendiocarb 1%

READ THE LABEL AND ENCLOSED LEAFLET BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

Distributed by:

~~Agrevo Environmental Health~~
~~95 Chestnut Ridge Road~~
~~Montvale, NJ~~
~~07645~~

Bayer Cropscience Inc.
Suite 100
3131 114th Ave. S.E.
Calgary AB T2Z 3X2

Notification Change

NET CONTENTS 2.5 kg

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under pest control products act to use a control product under unsafe conditions.

IMPORTANT

Read enclosed leaflet for the entire Directions for Use, Warnings, Precautions and Warranty Notice before using this product.

GENERAL INFORMATION

FICAM® D is a ready-to-use insecticide dust which has given effective knockdown and residual control of the pests listed in the enclosed leaflet.

DIRECTIONS FOR USE

Use only according to label directions. Read enclosed leaflet for complete directions for use, warnings and precautions.

DISPOSAL

Do not reuse empty container. After insuring that the container is empty, dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

FIRST AID

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention or call a poison control centre. **If inhaled**, keep patient strictly at rest and transfer to hospital immediately to get medical attention. Take container, label or product name and Pest Control product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Contains anticholinesterase carbamate insecticide. In cases of overexposure atropine sulfate 2 mg., should be injected and repeated as necessary until fully atropinized.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

IN CASE OF MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES, OR IN CASE OF FIRE, LEAKING, OR DAMAGED CONTAINERS, INFORMATION MAY BE OBTAINED BY CALLING 800-228-5635, EXT. 202.

©Aventis Environmental Science USA LP, 2001
Ficam® is a registered trademark of the Aventis Group.

Product of USA

FD-Canada-2.5 kg Tub-(850418)-Rev. 6/01

((PAMPHLET))

Ficam® D

1% (one percent) Dust Insecticide

COMMERCIAL

For the control of spiders, cockroaches, ants, fleas, and other pests in and around buildings by Pest Control Operators.

REGISTRATION NO. 16080
PEST CONTROL PRODUCTS ACT

GUARANTEE: Bendiocarb 1%

READ THE LABEL AND ENCLOSED LEAFLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS FOR USE

This leaflet contains complete directions for use. Please read carefully and do not discard until all product is used.

Distributed by:

~~Aventis Environmental Science~~
~~95 Chestnut Ridge Road~~
~~Montvale, NJ~~
~~07645~~

Bayer Cropscience Inc.
Suite 100
3131 114th Ave. S.E.
Calgary AB T2Z 3X2

Notification Change

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offense under pest control products act to use a control product under unsafe conditions.

IMPORTANT: Read the entire Directions for Use and Warranty Notice before using this product.

GENERAL INFORMATION:

FICAM® D is a ready-for-use insecticide dust which has given effective knockdown and residual control of the pests listed.

DIRECTIONS FOR USE

Use only according to label directions.

FICAM® D is for residual pest control in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include, but are not limited to: stores; warehouses; industrial buildings; houses; apartment buildings; schools; nursing homes; hospitals; restaurants; hotels; food manufacturing, processing and servicing establishments; and on vessels, rail cars, aircraft, buses, trucks and trailers.

FICAM D is intended for application with bulbous hand or power duster, or with a paint brush, or by other suitable equipment capable of applying insecticide directly into cracks and crevices, to hiding and runway areas and those places where pests are found. Apply lightly and uniformly to infested areas. Pay particular attention to: cracks and crevices; service ducts; false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets, refrigerators and sinks; around window and door frames; along baseboards; and in attics and crawl spaces. The amount to be applied will vary with the site but should usually be in the range of 8-16 grams of FICAM D per square metre. Control of pests is frequently best achieved by using FICAM D in conjunction with spray treatments of FICAM® W. Repeat treatments as necessary to maintain adequate control.

Cockroaches (including both non-resistant and organophosphate and organochlorine resistant strains), **ants**, **crickets**, **silverfish** and **firebrats**: Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves and in attics and crawl spaces. For ants, apply to ant trails, around doors and windows and other places where ants enter premises.

Carpenter Ants:

Apply around doors and windows and other places where ants

enter premises and where they crawl and hide. Also force dust into infested wood through existing openings or newly drilled small holes. When possible locate and treat nests and surrounding areas.

Bed Bugs: Apply dust to bedframes and cracks and crevices in adjacent walls, floor areas and furniture. Also apply as a spot treatment under beds, along baseboards and other areas where these pests may be present. Do not apply FICAM D to humans, clothing, or bedding.

Brown Dog Ticks and Fleas in Buildings:

Apply dust to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed after treatment and replaced with clean, fresh bedding. Do not treat animals with this product.

Carpet Beetles:

Apply dust as spot applications on and under edges of floor coverings, under rugs and furniture, and in closets and other localities where these insects are found.

Clothes Moths:

Apply dust as spot applications in closets and other storage areas where clothes moths are found. This treatment is an adjunct treatment and will not control moth larvae already on the clothes. Do not apply FICAM D to clothing.

Spiders:

Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Wasps and Bees: It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Thoroughly dust nest and entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in and reseal. For ground wasps, dust entrance and surrounding areas. For best results check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not

feasible, retreat the nest, if necessary. Application to overhead nests should be made in such a manner as to avoid drift onto the applicator.

Sowbugs, Pillbugs, Earwigs, Millipedes and Centipedes:

Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

FOOD HANDLING ESTABLISHMENTS

Places other than private residences in which food is held, processed, prepared or served.

Food Areas: Application limited to spot or crack and crevice treatments only.

This use includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

In food processing, manufacture, preparation and serving areas, use only during close down periods. Remove or cover all food, packaging materials and utensils before applying. After application, wash all surfaces that may contact food and rinse thoroughly with potable water before re-use for food processing, preparation or serving.

In Warehouses, stores, storage areas and on aircraft, ships, trains and trucks do not contaminate food or food packages. Do not treat bins, bulk cargo areas or other places which may be contacted directly by food or feed. Use only in a manner and in areas so as not to contaminate food or feed, confining treatments to spots, cracks and crevices in the premises.

In food handling, processing, manufacturing, transportation or storage areas use extra caution to avoid contamination of food or surfaces on which food may rest or be in contact. This may necessitate removal or covering of food or utensils before application. Any food which may be accidentally contaminated must be washed or destroyed as appropriate. Dishes, food-handling utensils and food-contacting surfaces should be thoroughly washed in soap and water if they become contaminated during application of this product.

Apply in small amounts directly into cracks and crevices using equipment capable of delivering insecticide in points between

different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in the walls, equipment legs and bases where cockroaches, ants, silverfish, firebrats, spiders and crickets hide. Spot treatment may also be made to areas where any of the above pests hide or inhabit such as baseboards, storage areas (not bulk food storage areas), closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves, and other equipment and under drawers and similar areas.

Make applications in a manner to avoid deposits on exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Non-Food Areas (and Non-Food Buildings): FICAM D may be used as a crack and crevice treatment or as a spot application in non-food areas. All areas where insects hide or through which insects may enter should be treated.

OUTDOOR USE

Use FICAM D as a residual treatment for control of ants, bees, brown dog ticks, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, millipedes, pillbugs, silverfish, sowbugs, spiders and wasps. Make a residual treatment around windows and doors, porches, screens, patios, garages, under stairways and in crawl spaces and other areas where pests hide.

To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 2-3 metres wide around and adjacent to the building or structure. Also treat the building foundation to a height of 1 metre and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area. Pay particular attention to ant hills and wasp nests in the band area. Wasp and bee nests in trees and shrubs may be treated as noted above. Rodent burrows, runways and harbourage areas in this barrier area should be thoroughly treated to control fleas associated with rodents.

PRECAUTIONS:

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. If contact occurs, wash skin with soap and warm water, or eyes with clean water.

Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re-use.

Do not apply to humans, animals, clothing or bedding.

Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

Do not use on or contaminate fruit, vegetables or other food or feed crops.

Do not store near food or food products and do not contaminate these or food preparation surfaces, dishes, kitchen utensils and food containers with dust. In homes or dwellings remove or cover all food before application.

This product is highly toxic to bees exposed to direct treatment or to residues on plants.

Do not contaminate domestic or animal water supplies while applying, when cleaning equipment or when disposing of surplus dust.

Keep out of lawn and garden fish pools, lakes, streams or ponds.

DISPOSAL

1. Triple-or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical

attention or Poison Control Centre. If inhaled, keep patient strictly at rest and transfer to hospital immediately to get medical attention. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Contains anticholinesterase carbamate insecticide. In cases of overexposure, atropine sulfate 2 mg., should be injected and repeated as necessary until fully atropinized.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

IN CASE OF MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES, OR IN CASE OF FIRE, LEAKING, OR DAMAGED CONTAINERS, INFORMATION MAY BE OBTAINED BY CALLING 800-228-5635, EXT. 202.

~~©Aventis Environmental Science USA LP, 2001~~

Ficam® is a registered trademark of the ~~Aventis Group.~~

Product of USA

FD-DFU-(Canada)-(931015)-Rev. 6/01

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))