

05-JUL-1999

((LABEL))

Later's
Slug & Snail Killer
Liquid
Concentrate

WITH METALDEHYDE

READ THE LABEL BEFORE USING.

KEEP OUT OF REACH OF CHILDREN AND AWAY
FROM DOMESTIC ANIMALS

DOMESTIC

WARNING POISON

REG. NO. 08971 P.C.P. ACT.

Guarantee: Metaldehyde 20%

250 mL

Later Chemicals Ltd.
12080 Horseshoe Way
Richmond, B.C.
V7A 4V5

Later's Liquid Slug & Snail Killer

READ ENTIRE LABEL AND ENCLOSED PAMPHLET BEFORE USING THIS
PRODUCT.

These contents are enough to make 41 L of diluted spray mixture
to cover 83 m² of area.

LATER'S LIQUID SLUG & SNAIL KILLER IS ESPECIALLY EFFECTIVE AS IT WILL KILL SLUGS WHICH CONTACT THIS MATERIAL BY CRAWLING OVER SPRAYED SURFACES. GOOD RESULTS ARE OBTAINED BY APPLYING SPRAY TO AREAS ADJACENT TO SLUG HIDING PLACES, OVER WHICH SLUGS WILL BE MIGRATING TO FOOD SOURCES.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, POULTRY AND DOMESTIC ANIMALS. Do not breathe spray mist. Avoid contamination of food or feedstuffs. Protect contents from freezing. Do not store in direct sunlight. Do not get in eyes.

FIRST AID: If swallowed, induce vomiting. To do so give two glasses of water to drink and insert finger into mouth and touch back of the throat or give an emetic such as IPECAC. Follow with large quantities of milk and 30-60 mL of castor oil. Call a doctor or poison control centre immediately. Never give anything by mouth to an unconscious person. If in eyes, flush with water for 15 minutes and get medical attention. If on skin, remove contaminated clothing and wash skin with soap and water.

STORAGE: Keep product in original container. Do not freeze. Store in a cool, dry place away from food.

((BROCHURE))

Later's

Slug & Snail Killer

Liquid

Concentrate

WITH METALDEHYDE

READ THE LABEL BEFORE USING.

READ ATTACHED BOOKLET BEFORE USING.

KEEP OUT OF REACH OF CHILDREN

KEEP AWAY FROM DOMESTIC ANIMALS

DOMESTIC

WARNING

POISON

REG. NO. 8971 P.C.P. ACT.

Guarantee: Metaldehyde 20%

250 mL

Later Chemicals Ltd.
12080 Horseshoe Way
Richmond, B.C.
V7A 4V5

Later's Liquid Slug & Snail Killer

These contents are enough to make 41 L of diluted spray mixture to cover 83 m² of area.

DIRECTIONS:

Later's liquid slug & snail killer is especially effective as it will kill slugs which contact this material by crawling over sprayed surfaces. It does not have to be eaten as in the case of bait, therefore, good results are obtained by applying spray to areas adjacent to slug hiding places, over which slugs will be migrating to food sources.

15 mL = 1 tablespoon
1 m = approx. 1 long pace
10 m² = 5 m x 2 m

HOW TO USE:

SHAKE BEFORE USING. Thoroughly water areas to be treated before application. Mix 30 mL of Later's Liquid Slug & Snail Killer Liquid to 5 L of water and apply to 10 m² of area. Do not allow animals to graze on treated area within 1 - 2 weeks.

LAWNS & ORNAMENTALS: May be applied with sprayer or sprinkling can. Apply to areas frequented by slugs. Foliage of ornamentals

may be sprayed or sprinkled.

VEGETABLES: Spray a barrier ring around your vegetable garden to protect it from outside invasion. One litre spray will make a barrier 30 cm wide by 7 m long. DO NOT SPRAY ON EDIBLE PART OF VEGETABLES.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, POULTRY AND DOMESTIC ANIMALS. Do not breathe spray mist. Avoid contamination of food or feedstuffs. Protect contents from freezing. Do not store in direct sunlight. Do not get in eyes.

ENVIRONMENTAL HAZARDS: This product is toxic to birds, dogs, and other wildlife. Do not contaminate any body of water.

FIRST AID: If swallowed, induce vomiting. To do so give two glasses of water to drink and insert finger into mouth and touch back of the throat or give an emetic such as IPECAC. Follow with large quantities of milk and 30-60 mL of castor oil. Call a doctor or poison control centre immediately. Never give anything by mouth to an unconscious person. If in eyes, flush with water for 15 minutes and get medical attention. If on skin, remove contaminated clothing and wash skin with soap and water.

TOXICOLOGICAL INFORMATION: Ingestion may cause intestinal irritation, kidney and liver damage.

STORAGE: Keep product in original container. Do not freeze. Store in a cool, dry place away from food.

DISPOSAL: Do not re-use empty container. Rinse thoroughly and use rinse-water with regular spray. Wrap container and discard with household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes any risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

INTERNET: www.laters.com

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))