

96.04.25

Duracraft (R)

DURASEPT (TM)

EVAPORATIVE HUMIDIFIER  
BACTERIOSTATIC TREATMENT

- Controls growth of bacteria & fungus
- Prevents unpleasant odors & mildew
- For evaporative humidifiers and air coolers

Reg. No. 23313 P.C.P. ACT

READ THE LABEL BEFORE USING

DOMESTIC

GUARANTEE:

N-alkyl (5% C12, 60% C14, 30% C16, 5% C18)  
Dimethyl Benzyl Ammonium Chloride ..... 2.25%  
N-Alkyl (69% C12, 32% C14)  
Dimethyl Ethylbenzyl Ammonium Chloride ... 2.25%

WARNING: See back panel for additional precautionary information.

Net Contents: 1 Quart (0.946 litres)

Distributed by:  
Duracraft (Canada) Ltd.  
1400 Bonhill Road  
Mississauga, ONT., Canada L5T 1L3

DIRECTIONS FOR USE

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

DuraSept(TM) is designed to use in portable humidifiers. Be sure humidifier water, tank and filters are thoroughly cleaned before each seasonal use. For every 4 litres (1 gal.) water contained in the humidifier tank, add 1/2 capful (5 ml) of this product. On

console models it is recommended that the water reservoir be emptied weekly. On table top models, it is recommended that the water be emptied daily.

**Not for heat vaporizing or ultrasonic atomizing type humidifiers.**

Precautionary Statements

Hazard to humans and domestic animals.

Warning: Keep out of reach of children.

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed.

First Aid

In case of contact, immediately flush eyes or skin with plenty of water for at least fifteen minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink milk, egg whites or gelatin solution or if these are unavailable, drink large quantities of water. Call a physician.

Toxicological Information:

Probable mucosal damage may contraindicate the use of the gastric lavage. Measure against circulatory shock, respiratory depression and convulsion may be needed.

Container Disposal

Do not reuse empty container. Thoroughly rinse empty container with water before disposal.

Storage

Store in a dry place no lower in temperature than 4°C (40°F) or higher than 49°C (120°F).

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))