CSW 844

## COOLING WATER MICROBIOCIDE

INDUSTRIAL

**GUARANTEE:** 

2-(THIOCYANOMETHYLTHIO) BENZOTHIAZOLE....30%

READ THE LABEL BEFORE USING

REGISTRATION NO. 20636
PEST CONTROL PRODUCTS ACT

THIS PRODUCT IS A POTENTIAL SKIN SENSITIZER

WARNING CORROSIVE POISON

NET CONTENTS LOT #

Ashland
DREW CHEMICAL LIMITED
525 Finley Ave.,
Ajax, Ontario L1S 2E5
Tel.: (905) 683-0150
Fax: (905)427-0688
AFTER HOURS: 1-800-274-5263

REFER TO MATERIAL SAFETY DATA HANDLING SHEET PRIOR TO USE

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label, and subject thereto, the buyer assumes the risk to persons or property arising from the use or

handling of this product and accepts the product on that condition.

### DIRECTIONS FOR USE:

Dosages and method of application of CSW 844 will depend on the type of equipment to be treated and the type and quantity of microbiological life involved. Prior to the use of CSW 844, removal of slime, algae and deposits from the cooling system should be performed.

Use an initial dosage of 50 mL to 300 mL of CSW 844 per 10,000 litres of water in the system (1.5 to 9 ppm of active ingredient). A maintenance dosage of 16 mL to 100 mL of CSW 844 per 10,000 litres of water in the system (0.5 to 3.0 ppm of active ingredient) should be used every 2 to 5 days or as needed. Slug fed additions should be made to the cooling tower basin or sump or an alternate point where good mixing is provided.

### PRECAUTIONS:

## KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be harmful if absorbed through the skin. Causes eye damage. Repeated skin contact may cause skin sensitization. Avoid contact with eyes, skin and clothing. Wear safety goggles, chemical resistant gloves and protective clothing. Do not contaminate water, food or feed by storage or disposal. This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, ponds or public water. Do not reuse empty containers.

# FIRST AID INSTRUCTIONS:

If SWALLOWED, do not induce vomiting. Call a physician immediately. Rinse mouth with a large amount of water. Drink one or two glasses of water or milk to dilute stomach contents. Do not give fluids to an unconscious person. Avoid alcohol.

If in EYES, flush with flowing water for at least 15 minutes. See a physician if irritation persists.

If on SKIN, wash affected area with soap and water. See a physician if irritation occurs. Remove and wash clothing before

reuse.

If INHALED, remove person to fresh air; keep them warm and call a physician.

### TOXICOLOGICAL INFORMATION:

Probable mucosal damage following ingestion may contraindicate gastric lavage.

## DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
- 5. For small spills, recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

CORROSIVE LIQUIDS, N.O.S. UN# 1760

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))