ECOBRITE IIC

SAPSTAIN CONTROL PRODUCT

READ THE LABEL BEFORE USING

COMMERCIAL

Assists in Sapstain and Mold Control

On Freshly Saw Lumber

KEEP OUT OF REACH OF CHILDREN

DANGER SKIN AND SEVERE EYE IRRITANT

GUARANTEE:

Contains 20% Sodium Carbonate as a pH buffer - pH10
Sodium Borate 4%
Boric Acid 4%

REGISTRATION NO. 25771

PEST CONTROL PRODUCTS ACT

Note: For further information on the storage, handling, use and disposal of ECOBRITE IIC contact DIACON Technologies Ltd. and refer to BC Environment and Environment Canada=s publication Antisapstain Wood Protection - Recommendations for Design and Operation@

NET CONTENT - 1150 205 LITRE

BATCH NO -

Registrant:
DIACON Technologies Ltd.
11420 Blacksmith PL.
Richmond, BC V7A 4X1
(604) 271-8855

FOR INDUSTRIAL USE ONLY

USE RESTRICTIONS:

- 1. Treated wood is not to be used for construction of food handling containers, food storage facilities, or food growing buildings (e.g. mushroom houses).
- 2. Not for use in drive-through dip tanks.

DIRECTIONS FOR USE

Apply a 1:1 aqueous dilution by dip or spray thoroughly saturating lumber surfaces. Allow freshly treated lumber surfaces to dry in containment area. Cover bundles with appropriate wrap to prevent leaching during yard storage. Not for use in drive through dip tanks. Commercial spray box flow coater or dip tanks must be free of leaks with provision to eliminate or contain mist overspray, drips, and spillage into the surrounding environment. For use on spruce-pine-fir, hemlock, and Douglas Fir lumber, to assist in the control of fungi which may cause discoloration and appearance degradation of lumber. Store away from acids and foodstuffs. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of waste.

STORAGE

Store unused product in a secure area away from acids and foodstuffs.

PRECAUTIONS

CAUSES SEVERE EYE DAMAGE AND SKIN IRRITATION. MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN OR INHALED. WHEN HANDLING THE CONCENTRATE WEAR FULL FACE PROTECTION WITH CARTRIDGE RESPIRATOR AND CHEMICAL RESISTANT GLOVES AND BOOTS.

Use closed transfer systems and mechanical mixing and application systems. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Irritation may result from prolonged skin or eye contact. When handling, loading, mixing, or applying this product, or handling contaminated equipment, wear chemical resistant gloves. Wear impermeable coveralls or apron and impermeable boots if there is a potential for getting wet by the Ecobrite IIC solution. Use goggles if eye contact with Ecobrite IIC is possible. When handling freshly treated lumber, wear chemical resistant gloves. Once dry, the treated wood can be handled with cotton or leather gloves. Use only in well ventilated areas or use cartridge respirator. Wear full face protection if there is a possibility of splashing. Do not wear contact lenses. Wash hands and face before

eating, drinking, smoking, or using the toilet. Change clothing daily. Wash contaminated clothing separately from household laundry. Not for use or storage in or around the home. Clean contaminated equipment thoroughly, wearing appropriate clothing, prior to making welding repairs.

FIRST AID

IF SWALLOWED: Call a physician or poison control centre immediately. Do not induce vomiting. Give conscious patients fluids. Do not induce vomiting by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing. Thoroughly wash affected area with soap and water.

IF IN EYES: Immediately flush eyes with water for at least 15 minutes. Seek medical attention.

IF INHALED: Remove victim to fresh air. Give artificial respiration if indicated. Seek medical attention.

Always bring either container, product label or product name and PCP No. to the hospital/physician for emergency treatment.

TOXICOLOGICAL INFORMATION

No specific antidote known. Treat symptomatically.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to the spray rinsings to the treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada or the Manufacturer.
- 5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

LIMIT OF WARRANTY:

Sellers guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))