

1999/2002

DOMESTIC

500 g

C-I-L

RAPID BUG KILLER

SEVIN®

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

GUARANTEE: carbaryl 2%

REG. NO. 18360 P.C.P. ACT

NU-GRO CORPORATION

Woodstock, Ontario N4S 8P6

Laval, Quebec H7S 1G3

Calgary, Alberta T2H 2S1

Made in CANADA

C-I-L Rapid Bug Killer is a popular broad spectrum insecticide that kills many common garden insects.

DIRECTIONS

5 g = 1 teaspoon 15 g = 1 tablespoon

Apply as a thin, uniform coating on both sides of the foliage when insects appear. Use 94 g per 10 m², unless otherwise indicated with an asterisk. Repeat treatment as often as required. Dust when air is calm. Some leaf injury may occur to cucurbits and cole crops if treatments are made when tender foliage is wet or during prolonged periods of high humidity. For Corn Earworm, direct at ear zone and at 2 to 4 day intervals when 25% of silks are showing. For European Corn Borer, apply 4 times at 5 to 7 day intervals starting when egg masses appear. Do not apply within the interval of harvest indicated in brackets beside the crop.

VEGETABLES: Use on Asparagus *(1), Beans *(3), Beets (7), Broccoli (3), Brussels Sprouts (3), Cabbage (3), Carrots (1), Cauliflower (3), Chinese Cabbage (14), Celery (3), Corn*(1), Cucumbers (3), Eggplant (1), Endive (14), Greens (14), Kohlrabi (3), Lettuce (head & leaf) (3, 14), Melons (3), Peppers (1), Potatoes (7), Pumpkins (3), Radishes (7), Spinach (14), Squash (3), Swiss Chard (14), Tomatoes (1), Turnips (7), Beet and Turnip Tops (14).

Insects: Effective against **Asparagus beetle, Cabbage looper, Colorado Potato Beetle, Corn earworm, Cucumber beetles, European corn borer, Fall armyworm, Flea beetle, Leafhopper, Lygus bug, Mexican bean beetle, Squash bug, Tarnish Plant Bug****, Tomato fruitworm.

*For asparagus, use 190 g per 10 m². For beans, use 110 g per 10 m². For corn, use 75 g per 10 m². **For Tarnish Plant Bug, use 130 g per 10 m².

FRUIT: Use on Blackberry (7), Boysenberry (7), Dewberry (7), Loganberry (7), Raspberry (7), Strawberries *(1).

Insects: Effective against **Japanese beetle, Blackberry Leafminer, Leafroller, Meadow spittlebug, Raspberry aphid, Rose stem girdler**. Use 190 g per 10 m². ***For strawberries, use 75 g per 10 m².

ORNAMENTALS: Can be used on all flowers and shrubs except Boston Ivy and Virginia Creeper.

Insects: Effective against **Flea beetles, Gypsy moth, Lace bug, Leafhopper, Leafroller, Mealy bug, Plant bugs, Rose chafer, Rose slug, Tent caterpillar, Thrips (exposed)**.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid inhaling dust or contact with eyes, skin or clothing. Wash thoroughly after use. Do not contaminate feed, food, streams, ponds and water supplies. Do not use where bees are foraging. TOXIC TO BEES. Warn bee keepers to protect bees from treated area for one week after treatment. Wear regular long-sleeved work clothing. **Keep children and pets away from treated area during application.**

DISPOSAL: Dispose of empty container with household garbage.

FIRST AID: If swallowed, induce vomiting by giving patient 1 to 2 glasses of water and inserting finger down throat. Obtain medical attention. **If in eyes**, flush thoroughly with

water and obtain medical attention. **If on skin**, wash with soap and water.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out in the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

®SEVIN is a trademark of Union Carbide Canada Ltd. C-I-L is a trademark of ICI Canada Inc. NU-GRO Corporation is a Registered User.

82233 0393

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))