

87.11.06

SANEX  
STRYCHNINE  
GOPHER-KIL LIQUID  
IMPROVED  
LIQUID RODENTICIDE CONCENTRATE  
RESTRICTED  
DANGER POISON  
READ THE LABEL BEFORE USING  
REGISTRATION NO. 15849  
PEST CONTROL PRODUCT ACT  
NET CONTENTS 250 mL  
GUARANTEE

Strychnine..... 2%

Manufactured by  
SANEX INC.  
2695 SLOUGH STREET,  
MISSISSAUGA, ONTARIO L4T 1G2

Branches Throughout North America

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NATURE OF RESTRICTIONS: For sale only to pest control operators, farmers and persons authorized in government approved pest control programs where the vendor maintains a record of sales

including the name, address and signature of the purchaser along with the quantity of product purchased.

**RESTRICTED USES:** For control of Richardson's ground squirrel. (*Spermophilus richardsonii*) and Northern pocket gopher (*Thomomys talpoides*).

**DIRECTIONS:** Shake thoroughly before using. Keep from freezing. Pour the contents of this bottle over 2 kg of clean hulled oats or wheat. Where oats are sown use wheat for bait. Mix well to ensure each kernel is coated with poison. It dries quickly and is ready for use at once. Place 5-15 grams of the poisoned grain in the burrow of the gopher. DO NOT SCATTER BAIT OUTSIDE BURROW.

**TO PROTECT WILDLIFE.** The treated grain can be stored and keeps its killing affect. It is not affected by heat or cold.

**LIMITATION OF WARRANTY:** Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

**PRECAUTION: KEEP OUT OF REACH OF CHILDREN.** Very dangerous if swallowed. Wear a protective mask for your mouth and rubber gloves when preparing bait. Even so, wash hands immediately after using and before eating or smoking. Do not contaminate food, feed or any water supply. Mark containers with bait: "POISON - STRYCHNINE BAIT" Bury dead pests; do not leave where carnivores might have access to them. Toxic to all forms of life.

**FIRST AID:** Obtain medical attention immediately. If swallowed induce vomiting immediately before the induction of reflex hyperexcitability (convulsions). It is a safer procedure to ingest a slurry of 90-120 grams of activated charcoal in a small glass of water. Gastric lavage is postponed until the patient is fully premedicated. Keep patient in warm dark room with minimal sensory stimulation. Ingest intravenously sufficient amounts of barbiturate drugs to prevent further convulsions (amobarbital sodium or pentobarbital sodium). Artificial respiration may be necessary. Keep patient under continual observation until convulsions and reflex irritability have been suppressed and gastric lavage can now be performed safely.

**TOXICOLOGY:** The treatment should consist of gastric lavages following which activated charcoal should be left in the stomach.

If symptoms of convulsions or spasm have begun avoid any manipulations including lavage. Control the seizures with

diazepam of amytal intravenous. Succinylcholine may be used with artificial respiration if other methods fail. Dispose of empty can by burying at least 1/2 metre deep away from any water supply.

01/87

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))