

94.06.21

SANEX

PYRE-FOS

RESIDUAL CONTACT SPRAY

FOR USE IN FOOD AND NON-FOOD AREAS OF KENNELS, COMMERCIAL BUILDINGS, WAREHOUSES, THEATRES, OFFICE BUILDINGS, SCHOOLS, MOTELS, HOTELS, RESTAURANTS, FOOD PROCESSING FACILITIES, AND DWELLINGS, WHEN APPLIED BY PROFESSIONAL PEST CONTROL TECHNICIANS.

READ THE LABEL BEFORE USING

COMMERCIAL

REGISTRATION NO. 22032 PEST CONTROL PRODUCTS ACT

GUARANTEE:

D-TRANS ALLETHRIN.....	0.054%
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE.....	0.400%
CHLORPYRIFOS.....	0.500%

CAUTION POISON

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 4 L

SANEX AGRO INC.
36 HEAD STREET
DUNDAS, ONTARIO
L9H 3H3

DIRECTIONS FOR USE:
USE ONLY AS DIRECTED ON THIS LABEL

Use Sanex Pyre-Fos Contact Spray as a spot or a crack and crevice treatment to control cockroaches, silverfish, ticks, fleas, and other insects listed below. Apply this product as a coarse spray to localized areas where pests are found or may occur. Spray

surfaces until wet. Do not use as a space spray.

SPOT TREATMENT TO CONTROL COCKROACHES, ANTS, CRICKETS, SILVERFISH, SPIDERS, SOW BUGS, EARWIGS, BROWN DOG TICKS, FLEAS, CARPET BEETLES, CLOVER MITES, CLUSTER FLIES, DERMESTITES, AND CENTIPEDES: Direct spray into areas where these pests are found or may hide; thoroughly treat cracks and crevices in walls, along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators, cabinets, and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. For ants, apply to ant trails, also around doors and windows and wherever else these pests may find entrance. Repeat if reinfestation occurs.

CRACK AND CREVICE APPLICATIONS TO CONTROL COCKROACHES, ANTS, CRICKETS, SILVERFISH, SPIDERS, SOW BUGS, EARWIGS, BROWN DOG TICKS, FLEAS, CARPET BEETLES, GRAIN WEEVILS, FLOUR BEETLES, ELM LEAF BEETLES, MILLIPEDES, CENTIPEDES, AND DERMESTITES: Apply spray in small amounts directly into cracks and crevices. Equipment capable of delivering a pin stream should be used in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs, and bases, where the above listed insects hide.

Applying to cracks and crevices in areas as directed above reduces the possibility of contamination during treatment in food processing preparation and serving areas.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air.

FOR MEAT PACKING PLANTS, treat only when plant is not in operation. No exposed meat products, ingredients or packaging materials to be kept in the room. Cover food handling equipment. All treated surfaces that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after treatment and before re- use for food processing.

SPIDERS, FLIES AND MOSQUITOES: (OUTDOOR USE ONLY) Use as an aid to reduce annoyance from these pests. Spray outside surfaces of window and door frames as well as other areas where these pests may enter the home. Also spray dark corners and localized resting areas (such as under eaves) or porches, patios, and garages where these pests may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN AND PETS. May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist and provide adequate ventilation of

the area being treated. Avoid contact with the skin, eyes and clothing. Do not apply to plants, animals or humans. Remove pets and fish bowls from area before treatment and do not return them for at least four (4) hours after treatment. DO NOT APPLY TO SURFACES THAT CHILDREN AND PETS MIGHT CONTACT. DO NOT CONTAMINATE FOODSTUFFS. Do not use in any area where food may be exposed. Do not use in bulk food storage areas. In homes or dwellings, remove or cover all exposed food utensils before spraying. Thoroughly wash all food surfaces that might contact food before re-use.

TOXICOLOGICAL INFORMATION: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is antidote of choice.

FIRST AID: In case of skin contact wash with plenty of soap and water. If in eyes flush with potable water for at least 15 minutes. If irritation persists obtain medical attention. If swallowed obtain medical attention at once.

DISPOSAL: Do not reuse empty container. Follow provincial requirements for any additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))