

96.06.04

WILSON

ANT, ROACH, EARWIG KILLER

INDOOR AND OUTDOOR

PRESSURIZED SPRAY FOR SURFACE OR CRACK & CREVICE TREATMENT

READ THE LABEL BEFORE USING

KILLS EARWIGS, ANTS, COCKROACHES, SPIDERS, SOWBUGS, CRICKETS,  
MILLIPEDES, FLEAS, CARPET BEETLES, BROWN DOG TICKS.

GUARANTEE:

Pyrethrins.....	0.050%
Technical Piperonyl Butoxide.....	0.100%
N-octyl bicycloheptene dicarboximide....	0.166%
Propoxur.....	0.500%

REG. NO. 19785 P.C.P. ACT

DOMESTIC

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

425 g

WILSON LABORATORIES INC.  
DUNDAS, ONTARIO L9H 3H3

For use as a residual surface or crack and crevice treatment to control insects listed on front panel.

INDOOR USE: Thoroughly treat cracks and crevices and spots along baseboards, underneath furniture and equipment, around garbage containers, localized areas of floors and floor coverings and

other places where insects habitate. For ants, spray trails and places where ants enter premises such as window and door sills.

OUTDOOR USE: Spot Treatment. Spray outside surfaces of screens, doors, window frames, foundations, patios, light fixtures and other places where insects may alight, or congregate and enter. For ants, spray hills and runways.

DIRECTIONS: Insert nozzle extension tube into spray nozzle. Hold container approximately 30 cm from surface being sprayed and spray until wet. Thorough applications produce a coating which will vapourize into cracks and crevices for insect control. If reinfestations occur, repeat applications as necessary. Provide adequate ventilation after indoor use. KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. In dwellings, remove or cover exposed foods, cooking utensils and food preparation. Not to be used in food storage, handling or packaging areas. Contents under pressure. Do not place in hot water or near radiators, stove or other sources of heat, or store at temperatures over 50'C. Do not spray near open flame or spark. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash hands after using. DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOOD STUFF, FOOD UTENSILS, FISHBOWLS, OR ANIMAL FEED AREA. DO NOT USE AS A SPACE SPRAY.

FIRST AID TREATMENT: Contains volatile petroleum distillate. If swallowed, do not induce vomiting. Call physician or poison control centre immediately. In case of contact with the skin, wash with soap and water. If in eyes, flush with water 15 minutes and get medical attention.

TOXICOLOGICAL INFORMATION:

Propoxur is a cholinesterase inhibitor. Atropine is antidotal.

DISPOSAL: When container is empty, press button to release all pressure; then dispose in household garbage. Do not puncture or incinerate.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any

guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))