

85.12.31

weed
away

MCPA K
400

LIQUID HERBICIDE

AGRICULTURAL

READ THE LABEL BEFORE USING

GUARANTEE: MCPA 400 g/L
ACID EQUIVALENT
(PRESENT AS PROTASSIUM SALT)

REGISTRATION NO. 17509
PEST CONTROL PRODUCTS ACT

20 LITRES

WARNING POISON

INTERPROVINCIAL COOPERATIVE LIMITED. P.O. BOX 1050.
SASKATOON, SASKATCHEWAN S7K 3M9

WINNIPEG TORONTO MONTREAL MONCTON

DIRECTIONS:

For ground or air application. Add water to spray tank until 1/2 full. Add MCPA K 400 then complete filling with water and mix thoroughly. Treat weeds when small for best results and least cost. Use 100-240 litres of water per hectare unless otherwise specified.

HEMP-NETTLE (Suppression only)
CROP: Wheat, Oats, Flax, Barley

RATE OF PRODUCT PER HECTARE: 2 L/hectare (800 g active per hectare) 20 litres treats 10 hectares.*

TIME OF APPLICATION: Wheat, Oats, Barley, 3 to 6 leaf stage.
Treat when Hemp Nettle is in 3-4 leaf stage. Flax 5 to 10 cm

high. Use at least 100 litres water per hectare on Flax.

CANADA THISTLE (Top growth suppression only) CROP: Wheat, Oats, Flax, Barley

RATE OF PRODUCT PER HECTARE: 1.75-2 L/hectare (700-800 g active per hectare). 20 litres treats 10-11.5 hectares.*

TIME OF APPLICATION: Wheat, Oats, Barley, 3 to 6 leaf stage.
Flax - 5 to 10 cm high. Use at least 100 litres water per hectare on Flax.

GENERAL WEED CONTROL (Weeds normally susceptible to MCPA)
CROP: Wheat, Oats, Flax, Barley

RATE OF PRODUCT PER HECTARE:
1.5-1.75 litres/hectare (600-700 g active per hectare) 20 litres treats 11.5-13.3 hectares.*

TIME OF APPLICATION: Wheat, Oats, Barley, 3 to 6 leaf stage.
Flax - 5 to 10 cm high. Use at least 100 litres water per hectare on Flax.

HARD-TO-KILL WEEDS (Plus general Weed control) - Buckwheat, Smartweeds, Corn Spurry, Hemsps Nettle, Canada Thistle (top growth), Russian Thistle, etc.

RATE OF PRODUCT PER HECTARE: Mix 1 litre of MCPA K 400 with 350 mL of Banvel(R) L.H. (400 g active MCPA K + 140 g active Dicamba). On Barley use only 250 mL of Banvel(R) L.H. with 1 litre of MCPA K.*

TIME OF APPLICATION: Wheat and Oats - 2 to 5 leaf stage
Barley - 2 to 5 leaf stage. Do not use less than 100 litres of water per hectare. (R) Registered trade mark of Velsicol Chemical Corp. * These rates may cause crop injury which will frequently be offset by a higher yield from a less weedy crop.

Wild Buckwheat, Russian Thistle, Green Smartweed, stinkweed, Cow Cockle as well as other Broadleaf Weeds such as Lamb's-quarters, Wild Mustards, Common Groundsel, Kochia and Redroot Pigweed.

MCPA + Torch(R): Important - spray weeds at 1-4 leaf stage and ensure uniform coverage for best results. Mix MCPA K first, then add Torch(R).

CROP: Wheat, Oats, Barley

RATE OF PRODUCT PER HECTARE: Mix 700 mL to 1 litre per hectare of MCPA K (275-425 g ai) plus 1.25 litres per hectare of Torch(R).

TIME OF APPLICATION: Do not apply during or after boot stage. Apply in 100 litres of water per hectare at 275 kPa.

CROP: Flax

RATE OF PRODUCT PER HECTARE; Apply 685 mL of MCPA K tank mixed with 1.25 litres of Torch(R) per hectare.

TIME OF APPLICATION: Apply when Flax is 5-10 cm high in 100 litres of water per hectare at 275 kPa. Do not treat if Flax is stressed (ie, not humid weather or temperatures aver 30'C)

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and shoes before re-use. Do not contaminate streams, lakes, ponds, irrigation ditches or waters used for livestock or domestic purposes. Keep in original container during storage. Do not store near seeds, fertilizers, insecticides or fungicides. Do not store at temperatures below freezing. Do not spray on windy days or allow spray, mist or vapours to contact plants other than those being treated. Do not use sprayers which have contained MCPA to apply other pesticides to crops.

FIRST AID:

On skin, wash immediately with soap and water. In eyes, flush with water for 15 minutes then seek medical attention.

DISPOSAL PROCEDURES:

Destroy empty container. Dispose of wastes by burying in a non-crop area away from all water supplies. Follow local regulations if they have been established.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NON-WARRANTY

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Torch(R) - * Reg'd T.M. Union Carbide Agricultural Products Co., Inc U.S.A.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))