

92.09.02

DUSAN
PMO-30

KEEP OUT OF REACH OF CHILDREN

PAINT PRESERVATIVE
AND FUNGICIDE SOLUTION

INDUSTRIAL

READ THE LABEL BEFORE USING

FOR EXTERIOR USE ONLY

GUARANTEE:

Phenylmercury Oleate.....30%
(11% mercury by weight)

DANGER POISON

REGISTRATION NO. 15601
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 226.8 kg.

DUSSEK CAMPBELL LIMITED
A Burmash Castrol Company
P.O. Box 385
30 Dussek Street
Belleville, Ontario
K8N 5A5

RECOMMENDED USES:

Dusan PMO-30 is a broad spectrum biocide which can be used for in-can preservation or as a mildewcide in solvent based paints and coatings. This product may only be used in the manufacture or formulation of paints and coatings which are intended and labelled exclusively for exterior use. This product must not be used to manufacture or formulate any paint, coating, or other product which is intended or labelled for use inside or used to treat materials used inside any building or structure. This product may not be used to manufacture or formulate any paint or coatings unless each container of that paint or coating, manufactured or formulated from this product and thereafter distributed or sold by the manufacturer or formulator, is prominently and legibly labelled with the following warning:

FOR EXTERIOR USE ONLY

This product contains a phenyl mercury compound as a biocide for in-can preservation or mildew control. This product is intended solely for exterior use in well-ventilated areas. Use of this product inside or to treat any materials used inside any building or structure may be hazardous to your health and the health of those occupying the building. Some children may be particularly sensitive to mercury. Keep this product out of reach of children.

NOTE: Products containing this additive are not to be used in areas where food is stored, handled or processed. Do not use in greenhouse paints or marine antifouling paints.

DIRECTIONS FOR USE:

DO NOT EXCEED MAXIMUM USE LEVELS. MAXIMUM USE LEVELS:

1. In-can preservation: Use no more than 818 grams of Dusan PMO-30 per 1,000 litres of paint or coating product (Equivalent to 0.08% PMO-30 or 90 ppm mercury as metal).
2. Mildew resistance: Use no more than 11.4 kg of Dusan PMO-30 per 1,000 litres of paint or coating product (Equivalent to 0.08% PMO-30 or 1260 ppm mercury as metal).

Do not remove product from this container until ready to use. Effective immediately, information on this sticker supersedes any

inconsistent language on all previous labels and technical bulletins.

CAUTIONS: Keep out of reach of children. Do not store neat food or feed. Causes severe eye and skin damage. Do not get in eyes, or skin or on clothing. MAY BE HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. MAY PRODUCE DELAYED CHEMICAL BURNS. WHEN USING THIS PRODUCT, LONG RUBBER GLOVES, CARTRIDGE RESPIRATOR AND SAFETY GOGGLES SHOULD BE WORN. THIS PRODUCT IS TOXIC TO FISH, BIRDS, AND OTHER WILDLIFE. DO NOT CONTAMINATE WATERS BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

FIRST AID:

IF SWALLOWED: Give milk or white of egg beaten with water and repeat until vomit fluid is clear. Repeat milk or white of egg beaten with water. If vomiting does not occur, induce vomiting by gagging the victim with a finger or blunt object placed on the back of the victim's tongue. Do not induce vomiting or give anything by mouth to an unconscious person. CALL A PHYSICIAN IMMEDIATELY.

IF ON SKIN: Immediately remove contaminated clothing. Wash immediately with soap and warm water.

IF IN EYES: Flush with water for at least 15 minutes and get medical attention.

TOXICOLOGY:

Contains petroleum distillates. Treat as for ingestion of kerosene. Organic mercury compounds can give delayed second degree burns and severe eye damage. If blisters develop, there will be a high concentration of mercury in the blister fluid. Consequently, medical treatment requires prompt drainage of any blisters that form. Subsequent treatment is the same as for other second degree burns.

NOTICE TO USER:

This control product is to be used only in accordance with directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use of handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))