

21-MAR-2005

29-JAN-2008 Notification - Change in Registrant

**LATER'S  
SEVIN® GARDEN DUST INSECTICIDE**

**READY-TO-USE**

Controls insects on vegetables, ornamentals, lawns and pets.  
Kills fleas and ticks on dogs and cats.

**ON VEGETABLES, ORNAMENTALS, LAWNS.**

**ON DOGS AND CATS**

**READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN**

**DOMESTIC**

**REG. NO. 11090 P.C.P. ACT**

**GUARANTEE: Carbaryl 5%**

500 g

Notification Change

~~Spectrum Brands IP Inc.  
10 Craig Street  
Brantford, ON  
N3R 7J1~~

Sure-Gro IP Inc.  
P.O. Box 21001  
Brantford ON  
N3R 7W9

**DIRECTIONS:** Later's Sevin® Garden Dust is ready-to-use and can protect vegetables, ornamentals and lawns from insects. Can also be used on cats and dogs to control fleas and ticks.

1 m = approx. 1 long pace                      100 m<sup>2</sup> = 10 m x 10 m

**HOW TO USE:** Apply the dust directly from canister onto plants. Use 250 g – 500 g to cover a garden up to 100 m<sup>2</sup>. Repeat application if necessary at 7-10 day intervals.

**VEGETABLES: Controls:** Asparagus, Beetles, Armyworms, Cabbage, Caterpillars, Cabbage Loopers, Climbing Cutworms, Colorado Potato Beetles, Corn Earworms, Flea Beetles, Leafhoppers, Lygus and Stinkbugs, Tomato Fruitworms, Tomato Hornworms.

**Crop:** Asparagus, Beans, Beets (roots), Broccoli, Brussels sprouts, Cabbage, Carrots, Cauliflower, Celery, Chinese Cabbage, Eggplant, Horseradish, Kale, Kohlrabi, Lettuce, Parsley Parsnip, Pea, Pepper, Potato, Pumpkin, Radish, Spinach, Squash, Tomato, Turnip.

**DAYS TO WAIT BEFORE HARVEST:**

1 day:                      Asparagus, Carrots, Eggplant, Pepper, Tomato.  
3 days:                      Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Kohlrabi, Lettuce, Pea, Pumpkin, Squash.  
7 days:                      Beet (roots), Horseradish, Potato, Radish and Turnip  
14 days:                      Chinese Cabbage, Kale, Parsley, Parsnip, Spinach

**ORNAMENTALS (Flowers, Shrubs, Perennials, etc.):** Apply a light, even coat of Later's Sevin® Garden Dust to both sides of the foliage. Repeat as necessary. Some leaf injury may occur if applied when foliage is tender or wet. Do not use on Boston Ivy or Virginia Creeper.

**Controls:** Bagworms, Black Vine Weevils, Birch & Boxwood Leafminers, Boxelder Bugs, Cankerworms, Gypsy Moths, Japanese Beetles, Lace Bugs, Leaf Aphids, Leaf Beetles, Leafhoppers, Plant Bugs, Rose Aphids, Rose Slugs, Scale Insects, Tent Caterpillars, Thrips (exposed).

**LAWNS & TURF:** Mow the lawn before application. Do not water lawn for 2 days after treatment. Repeat in 2-3 weeks if necessary. Rate of application: 2 –2.5 kg over 100 m<sup>2</sup> (10 m x 10 m).

**Controls:** Ants, Chinch Bugs, Climbing Cutworms, Earwigs, Fall Armyworms, Fleas, Leafhoppers, Millipedes, Sod Webworms (lawn moths).

**PETS (ie. Cats, Dogs): Controls:** Fleas, Lice and Ticks. Apply Sevin® Dust to the entire body of the pet. Thoroughly treat areas under legs, around tail, between toes and in ears. Do not treat eyes, face or scrotum. Work the dust into the pet's skin by rubbing\*. After a few hours, comb out dead pests from pet's skin. Dust pet's living quarters. Repeat weekly if necessary. Do not use on nursing puppies or kittens under 8 weeks old. Do not continue treatment if skin or nasal irritation occurs. Wear gloves to prevent skin irritation.

For effective Flea and Tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Avoid inhalation and skin contact. Wash hands after use and eating, drinking or smoking. Avoid contamination of feed and food.

**ENVIRONMENTAL HAZARDS:** This product is highly toxic to bees. Do not use where bees are foraging.

**FIRST AID:**

**IF SWALLOWED,** induce vomiting. To do so, give 2 glasses of warm water to drink and insert finger or blunt object into mouth and touch back of victim's throat. Contact a doctor or poison control centre IMMEDIATELY. Never give anything by mouth to an unconscious person.

**IF IN EYES,** flush with water for 15 minutes and get medical attention.

**IF ON SKIN,** wash with soap and water.

**IF INHALED,** seek medical attention at a hospital.

Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Sevin® is a moderate reversible cholinesterase inhibitor. Symptoms of poisoning: headache, nausea, vomiting and blurring of vision. Atropine is antidotal.

**STORAGE:** Keep product in original container. Store in a cool, dry place away from food.

**DISPOSAL:** Do not re-use empty container. Wrap container and discard in household garbage.

**NOTICE TO BUYER:** Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Sevin® is a registered trademark of Aventis Environmental Science.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.