

28-JUN-2000

Wilson

350 g

WASP & HORNET KILLER(2)

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY

DOMESTIC

GUARANTEE:

Pyrethrins	0.050%
Technical Piperonyl Butoxide	0.100%
N-octyl bicycloheptene dicarboximide	0.166%
Propoxur	0.500%

REG. NO. 24672 P.C.P. ACT

CAUTION EXPLOSIVE

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

INSECTICIDE

Nu-Gro IP Inc.
10 Craig St.
Brantford, ON
N3R 7J1

DIRECTIONS: For the control of wasps, bees, hornets and yellowjackets, remove protective cap and point nozzle in direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2 - 2.5 metres. To prevent insects from falling on skin and clothes, do not stand directly under nest. Allow sufficient time for insects to become dead or moribund. Applications to wasp nests should be made in late evening or early morning (if possible) when insects are at rest. RESTRICTIONS: Do NOT use inside homes, on humans or animals. Do NOT use as a space spray.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate

ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not contaminate food, utensils, food preparation areas. Remove pets and cover fishbowls before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50'C as container may burst. Do not puncture or incinerate container.

FIRST AID: If of skin, wash immediately with soap and warm water. If in eyes, flush for 15 minutes with water; call a physician. If ingested, DO NOT induce vomiting but contact physician or poison control centre immediately.

TOXICOLOGICAL INFORMATION: Propoxur is a carbamate cholinesterase inhibitor. Atropine sulphate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Do not throw into fire. Wrap and dispose of empty container in household garbage.

09/96

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))