

19-DEC-2006

14-MAR-2007 Allergen update

29-JAN-2008 Notification - Change in Registrant

THROW BAG

WILSON[®]
RIDDEX[®]
RAT & MOUSE KILLER MEAL

DOMESTIC

REG. NO. 15431 P.C.P. ACT

Update

GUARANTEE: CHLOROPHACINONE 0.005%
Contains malathion at 0.0095% as preservative.
Warning, contains the allergen wheat.

READ THE LABEL AND OUTER CARTON BEFORE USING
KEEP OUT OF REACH OF CHILDREN

50 g

Notification Change

~~Spectrum Brands IP Inc.,~~
P.O. Box 21001,
Brantford, ON
N3R 7W9

Sure-Gro IP Inc.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. Before using, see outer carton for full PRECAUTIONS regarding placement, storage and hygiene.

FIRST AID: This product contains an anticoagulant chemical which, if taken accidentally by humans, domestic animals or pets, may reduce the clotting ability of the blood and haemorrhage may result. **If in eyes,** flush with water for 15 minutes. **If on skin,** wash with soap and water. **If swallowed,** give patient one or two glasses of water and induce vomiting by touching back of the throat with a finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or poison control centre. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention. If pet or livestock poisoning is suspected, immediately contact a veterinarian.

STORAGE: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL: Dispose of empty container with household garbage.

For additional product information or in case of emergency, call 1-800-268-2806.

www.wilsonproducts.ca

Wilson® Registered Trademark of Spectrum Brands Canada, Inc., used under license.

19-DEC-2006

CARTON

**WILSON®
RIDDEX®
RAT & MOUSE KILLER MEAL**

DOMESTIC

REG. NO. 15431 P.C.P. ACT

GUARANTEE: CHLOROPHACINONE 0.005%
Contains malathion at 0.0095% as preservative.

Warning, contains the allergen wheat.

Update

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

(400 g) (500 g) (1 kg) (2 kg)
(___ x 50 gram bags)

Notification Change

~~Spectrum Brands IP Inc.,~~
P.O. Box 21001,
Brantford, ON
N3R 7W9

Sure-Gro IP Inc.

DIRECTIONS FOR USE: For use indoors and against the outside walls of buildings where mice and rats present a problem.

USE LIMITATIONS: Bait **MUST** either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. **DO NOT** place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

RATS: Norway rats (*Rattus norvegicus*) and Roof rats (*Rattus rattus*): Baits should be placed in amounts of from 100 - 450 g in locations frequented by rats or where rats have been known to feed. Bags can also be placed unopened to act as weather-proof feeding stations. Rats will open bags.

MICE: House Mice (*Mus musculus*) and Deer Mice (*Peromysus spp.*): For controlling mice, follow the same general directions as for rats, except that the amount of bait placements should be smaller (5 g to 15 g) and more placements should be made. Mice are more difficult to control than rats and complete control may take a longer period of baiting.

IMPORTANT: Baiting should be continued as long as evidence of feeding is observed. Except in extremely heavy infestations, this should be from five days to two weeks. Baits should be examined regularly and replenished before completely eaten. Replace bait if it moulds or decomposes. Where a continuous source of infestation is present from nearby dumps or fields, permanent stations should be used and bait placed in them as often as necessary.

PRECAUTIONS: **KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK.** May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Rubber gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.** Keep out of lakes, streams or ponds.

FIRST AID: **If in eyes,** flush with plenty of water for 15 minutes. **If on skin,** wash thoroughly with soap and water. **If swallowed,** give patient one or two glasses of water and **INDUCE VOMITING** by touching back of the throat with a finger or blunt object. Repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or poison control centre. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention. If pet or livestock poisoning is suspected, immediately contact a veterinarian.

TOXICOLOGICAL INFORMATION: If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. Vitamin K₁ in the form of intramuscular or subcutaneous injections or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case, measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL: Do not reuse empty container. Dispose of empty container with household garbage.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

For additional product information or in case of emergency, call toll-free 1-800-268-2806.

www.wilsonproducts.ca

Wilson® Registered Trademark of Spectrum Brands Canada, Inc., used under license.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.