Nufarm

X-All Liquid Herbicide

Contains Amitrole and Simazine

General Weed Control

For driveways, patios, tennis courts, walls, fences, and similar areas

NOT FOR USE ON LAWNS

DOMESTIC

GUARANTEE:

Contains 1,2-benzisothiazolin-3-one at 0.02% as a preservative.

REGISTRATION NO. 10099 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

In case of spills, poisoning or fire, telephone emergency response number: 1-800-424-9300 (24 hours a day)

Nufarm Agriculture Inc. 5507 First Street, S.E. Calgary, Alberta, T2H 1H9

Net Contents: 1 Litre

PRECAUTIONS:

Harmful if swallowed. Avoid contact with skin, eyes or clothing. KEEP OUT OF REACH OF CHILDREN. Spray only the foliage you want to control. Do not use this material to control weeds in flower or vegetable beds, field crops, or in turf. Avoid spray drift. When spraying near desirable trees or shrubs, keep spray off the stems and foliage of these plants. Do not use same sprayer for other purposes unless thoroughly cleaned.

FIRST AID:

If on skin, wash thoroughly with soap and water. If in eyes, flush thoroughly with clean water. If swallowed, induce vomiting by touching back of throat with a finger or blunt object, get medical attention or contact a Poison Control Centre.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL:

Do not reuse empty container. Dispose of the container with household garbage.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the *PEST CONTROL PRODUCTS ACT* to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

GENERAL INFORMATION:

To clean X-All herbicide from spray equipment, flush several times with clear water after each use. Among the weeds controlled: alfalfa, bluegrass, Canada thistle, chrysanthemum weed, crabgrass, dandelion, foxtail, kochia, lamb's-quarters, mustard, nightshade, pigweed, quackgrass, ragweed, smartweed, sow thistle, plantain, poison ivy, purslane, velvetgrass, wild oats, witchgrass.

DIRECTIONS:

Apply X-All herbicide to small weeds in the spring or early summer, or before weeds have matured and gone to seed. It is not necessary to spray bare ground before weed growth starts in the spring.

For best results on tall weeds, cut or mow to ground line and remove. Treat one or two weeks later when regrowth appears.

MIXING SPRAYS:

Fill the sprayer tank $\frac{1}{2}$ to $\frac{3}{4}$ full with water. Pour in X-All herbicide while stirring constantly. Fill the tank the rest of the way with water and stir again. If the spray mixture is allowed to stand several hours, stir again before spraying.

In arid areas X-All should be watered into the ground if no rain falls within a week after treatment. X-All acts slowly but thoroughly. Weeds start to turn white or brown within a week and are usually dead in about three weeks. Small weeds growing actively are killed more rapidly than weeds in a dormant or dried condition.

AMOUNTS TO USE			
AREA Square Meters		X-ALL Liquid (ML)	Litres Water
Plastic Sprayer	10 (2mx5m)	325	5
Watering can	10 (2mx5m)	325	5
Knapsack or	10 (2mx5m)	325	2.5
tank type sprayer	100 (10mx10m)	3.25 L	25

05.01.05

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.