

**SBP-1382® (Resmethrin) AQUEOUS  
PRESSURIZED SPRAY INSECTICIDE 0.25%**

**DOMESTIC**

**READ THE LABEL BEFORE USING**

**GUARANTEE:**

Resmethrin . . . . .0.25%w/w

**KEEP OUT OF THE REACH OF CHILDREN**

**CAUTION**



**EXPLOSIVE**

**REGISTRATION NO. 11350 PEST CONTROL PRODUCTS ACT**

Registrant:  
**Valent BioSciences Corporation**  
870 Technology Way, Suite 100  
Libertyville, IL 60048 USA

Canadian Agent:  
**Valent BioSciences Corporation**  
40 King Street, Suite 2100  
Toronto, Ontario M5H 3C2 Canada  
(416) 860-6516

**NET CONTENTS**      354.9, 473.2, 591.5 gms

**FIRST AID:**

**IF IN EYES:** Flush with clean water for 15 minutes. Get medical attention if irritation persists.

**IF ON SKIN OR CLOTHING:** Wash with soap and water. Get medical attention if irritation persists. Remove contaminated clothing and wash before reuse.

**IF SWALLOWED:** Obtain medical attention or contact a poison control center IMMEDIATELY. Do not induce vomiting unless directed by qualified medical personnel.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically

## PRECAUTIONS:

**KEEP OUT OF REACH OF CHILDREN.** Cover or remove all foods and utensils before spraying. Do not contaminate feed or food stuffs. Do not use on edible crops or in food processing plants. Cover or remove fish bowls and remove pets. Do not ingest or breathe spray mist. Avoid skin contact. Contents under pressure. Do not puncture container or expose it to temperatures above 49° C. Never throw container into fire or incinerator. Protect from freezing.

## DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray. **INDOORS-FOR HOUSEFLIES, MOSQUITOES, AND GNATS:** Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Spray 5 to 10 seconds for every 28.3 cu metres of space. Fill the room with mist then leave the treated area. Keep room closed for at least 15 minutes, then ventilate the treated areas before entry.

**INDOORS-FOR CRAWLING INSECTS (COCKROACHES, EARWIGS, GRAIN MITES, SOWBUGS, SILVERFISH, SPIDERS AND CENTIPEDES):** Spray thoroughly and frequently into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, doorframes, bookcases and storage areas. **SPRAY DIRECTLY ON INSECTS WHERE POSSIBLE.** Repeat as necessary. **ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. **FLEAS:** Protect dogs and cats from fleas by spraying their nesting areas. Hold spray nozzle about 45 cm from area to be treated. Apply spray at the rate of two seconds per 30 cm<sup>2</sup>. Direct spray on resting areas and floor around these areas. Treat bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Also treat dogs and cats with a product registered for use on dogs and cats before they re-enter the area just treated with this product. Do not use to treat pets.

**INDOORS-FOR PROTECTION OF WOOLENS:** Apply only to garments, blankets, carpets, draperies and other fabrics before placing in storage for protection from larvae of webbing clothing moths and black carpet beetles. Dry clean or wash garments and blankets before treating. Clean carpets, draperies and other fabrics by thoroughly brushing before treating. Hold container 35-45 cm from the fabric and apply the spray while moving evenly in a forward and back motion across the fabric while covering 30 cm<sup>2</sup> per second. Spray the entire fabric surface until it is slightly moist or damp to the touch. When possible treat both sides of the fabric. Do not soak or wet fabric. For maximum protection place treated fabrics after drying in plastic or paper bags. Also treat the cracks and crevices of closets, chests and trunks where these fabrics are being stored. Treat the cracks and crevices at a rate of two seconds per 30 cm<sup>2</sup>. When applied as directed on fabric and in storage areas this treatment will offer protection for up to six months. To ensure protection inspect the fabric storage area once every three months. Repeat applications. When possible make application outdoors. If application is made indoors do not remain in treated areas. Ventilate the area after treatment is complete.

**INDOORS-TO PROTECT HOUSE PLANTS:** Spray infested African violets, philodendron, geraniums, begonias, coleus to kill the exposed stages of listed pests. Repeat application as necessary.

**OUTDOORS- TO PROTECT ORNAMENTAL PLANTS:** To kill exposed APHIDS, THRIPS, ADULT WHITEFLIES, LEAFHOPPERS, PLANT BUGS, SPITTLEBUGS AND JAPANESE BEETLES on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, bayon, viburnum, euonymus, oaks, maples, locust, forsythia and althea; and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 45 cm from infested plants. Spray in short spray bursts of one to three seconds or spray at the rate of 30 cm of growth per second. Avoid heavy wetting. Repeat as necessary to obtain control. Spray peonies, iris, zinnia, snapdragons, ageratum, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatshedera, ivy, tobira, queen sago and broad leaf acacia for kill of exposed aphids, thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above. Ornamental quince, juniper, cypress, ornamental mulberry, ash, cotoneaster, rose, camellia, azalea, pyracantha and caenothus may also be treated to kill the above exposed pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to achieve control.

**OUTDOOR-TO REDUCE ANNOYANCE FROM FLYING INSECTS:** Spray areas infested with **Mosquitoes, Gnats (midges), Houseflies, Biting Flies and Flying Moths (millers).** Follow precautions listed above. Hold container 45-60 cm from shrubs, bushes, and grassy areas. Spray these areas with a slow sweeping motion at the rate of 1 to 3 seconds per 0.8 cu meters of space while moving away from treated areas. Treat open porches and patios in a similar manner. Spray when air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

**OUTDOORS-TO REDUCE ANNOYANCE OF NUISANCE PESTS:** **ANTS-** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. **FLEAS-** Same as for indoor use. **SPIDERS-** Direct short burst of spray on spiders and repeat as necessary. **WASPS-** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

## **EMERGENCY TELEPHONE NUMBER**

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling **1-877-315-9819**.

## **STORAGE & DISPOSAL**

Do not use or store near heat or open flame. Flash point minimum 38°C (100°F).

**DISPOSAL:** Wrap and dispose of used container with household garbage.

**Notice to User:** This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.