

2001/2006

HOUSEHOLD

CO-OP (R)

HORNET AND WASP KILLER

Pressurized Contact & Residual
Insecticide Spray

350 g

DOMESTIC

GUARANTEE:

| | |
|--------------------------------------|--------|
| Pyrethrins | 0.050% |
| Technical Piperonyl Butoxide | 0.100% |
| N-Octyl Bicycloheptene Dicarboximide | 0.166% |
| Propoxur | 0.500% |

READ THE LABEL BEFORE USING

DANGER

EXTREMELY FLAMMABLE
CONTAINER MAY EXPLODE IF HEATED

REG. NO. 20395 P.C.P. ACT

Interprovincial Cooperative Limited
P.O. Box 1050,
Saskatoon, Saskatchewan
S7K 3M9

Winnipeg Mississauga Montreal Moncton

DIRECTIONS:

For the control of wasps, bees, hornets and yellow jackets, remove protective cap and point nozzle in direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 2 to 2.5 metres. Allow sufficient time for insects to die. Application to wasp nests should be

made in the late evening or early morning when insects are at rest.

RESTRICTIONS:

Do not use inside homes, on humans or animals. Do not use as a space spray.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not allow children or pets to contact treated areas until surfaces are thoroughly dry. Do not contaminate food, utensils, food preparation areas and handling and storage areas. Remove pets before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50 deg. C as container may burst. Do not puncture or incinerate container or spray near open flame or spark.

FIRST AID INSTRUCTIONS:

If on skin, wash immediately with soap and warm water. If in eyes, flush for 15 minutes with water. If irritation develops, consult physician.

If swallowed, obtain immediate medical attention or contact a poison control centre.

TOXICOLOGICAL INFORMATION:

Propoxur is a cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

DISPOSAL:

When container is empty, press button to release all pressure. Do not throw into fire. Wrap and dispose with household garbage.

(R) Registered trademark of TMC Distributing Ltd.
Used under license.

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))