

87.11.12

HICKSON TIMBER PRODUCTS LTD.  
CASTLEFORD, WEST YORKSHIRE  
ENGLAND WF10 2JT

INDUSTRIAL

Tanalith(R) Oxide  
C Liquor 50%

WATER BASED WOOD PRESERVATIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 19911  
PEST CONTROL PRODUCTS ACT

GUARANTEE	W/W
CHROMIC ACID	23.75%
CUPRIC OXIDE	9.25%
ARSENIC PENTOXIDE	17.00%

DANGER

POISON            CORROSIVE

DANGER - CORROSIVE TO EYES

NET CONTENTS:

R Jan 27/87

FOR INDUSTRIAL USE ONLY

HT/155

DIRECTIONS FOR USE

For use only as a Wood Preservative applied by vacuum/pressure impregnation plant. Not to be used as concentrate but diluted with water at treatment plant according to Canadian Standards Association requirements.

Correct penetration and retention of TANALITH Oxide C will protect timber from biological degradation caused by wood destroying fungal organisms.

## PRECAUTIONS

### CORROSIVE:

Causes irreversible eye damage.

1. Wear suitable protective clothing, namely overalls, synthetic rubber/PVC gloves and eye protection when handling.
2. Wear synthetic rubber/PVC gloves and impervious apron and impervious footwear.
3. Wash hands and exposed skin before meals and after work.
4. Keep away from food, drink and animal feeding stuffs.
5. Keep out of reach of children.
6. Store in a safe place.
7. Avoid contamination of ground or water courses.
8. Treated wood should be held for 48 hours until dry, before despatch or erection.

### DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada.

### FIRST AID

#### CALL A PHYSICIAN

If swallowed, seek immediate medical attention. Drink plenty of water or milk to reduce toxic effect. Never give anything by mouth to an unconscious person.

In case of contact remove contaminated clothing and shoes and wash affected skin with plenty of soap and water. If eyes are affected, flush out with plenty of water for at least 15 minutes. Call a physician. Wash clothing before re-use. Discard contaminated shoes.

TOXICOLOGICAL INFORMATION

Symptoms of poisoning include nausea, abdominal pains and vomiting. Any person suffering from such symptoms should be removed from further exposure, given first aid as described and attended to by a physician.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

Manufactured for HICKSON TIMBER PRODUCTS LTD.  
CASTLEFORD, WEST YORKSHIRE  
ENGLAND WF10 2JT  
TEL: (0977) 556565

By Applied Research Group  
P.O. Box 5472  
Charlotte N.C. 28225, U.S.A.

Canadian Agent:  
Mr. J. Taylor  
Suite 2840, South Tower  
P.O. Box 73  
Royal Bank Plaza  
Toronto Ontario  
M5J 2J2

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))