# SOREXA (R) CR-2

#### INDUSTRIAL

#### SUPER MOUSE AND RAT BAIT

# READY-TO-USE IMPREGNATED CANARY SEED

Net Weight: 10 kg

# **GUARANTEE:**

Calciferol		 											•				. (	).	. 1	엉
Warfarin		 														0	. (	) 2	25	용

READ THE LABEL BEFORE USING

REGISTRATION NO.: 15695 PEST CONTROL PRODUCTS ACT

CIBA-GEIGY CANADA LTD.
Agricultural Division
6860 Century Avenue
Mississauga, Ontario L5N 2W5

Effective against warfarin-resistant mice and rats.

For use in processing plants (food, feed, non-food), food service establishments, storage areas (food, feed, non-food), dwellings and buildings (commercial, agricultural).

### DIRECTIONS:

Lay 30 g baits in many locations throughout the infested area, in locations where mice feed/water and/or travel. For rats, bait stations should contain 90 - 150 g. Out-of-doors baits should be sheltered from rain by covering with boards, drain pipes, tiles, etc. Wet baits will become inactive. Contaminated or spoiled baits should be replaced promptly.

BEWARE OF SETTING OUT TOO LITTLE BAIT.

Inspect baits daily. The first three days are critical; it is essential that baits are kept topped up with fresh material. It takes several days of feeding to build up lethal levels.

Ensure that all baits are protected so that access by domestic animals, particularly CATS, DOGS and PIGS, is impossible.

#### WARNING:

In food processing plants and food service establishments, place baits when facility is not in operation and avoid contamination of food stuffs or food handling equipment or surfaces. Remove or cover all food packaging materials and utensils before placing baits. Wash any food contact surfaces which become accidentally contaminated. Remove all baits and dead rodents before re-use of the plant for food processing.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, pets and farm animals. AVOID ALL CONTACT BY MOUTH. Wash hands after using and before eating, drinking or smoking. Do not contaminate food, feed or water. Remove all remains of bait after treatment and bury. Search for and bury all rodent bodies. Store in original container in a safe place away from moisture and sources of heat. Do not re-use empty container. Dispose of in garbage in accordance with municipal requirements.

FIRST AID: If on skin, wash with soap and water. If swallowed, induce vomiting. Obtain prompt medical attention.

TOXICOLOGICAL INFORMATION: Peritoneal dialysis with a calcium-free electrolyte solution to which 4% glucose is added is advised.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

(R) Sorexa is a Registered Trademark CIBA-GEIGY CANADA LTD.

\*\*\*\*\*\*

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))