

85.12.31

NET CONTENTS LITRES

CODE 3280

Niagara

FORMALDEHYDE

370

DISINFECTANT / FUMIGATOR

CONTAINS FORMALDEHYDE

COMMERCIAL

GUARANTEE:

FORMALDEHYDE 370 g/L

REGISTRATION NO. 16568

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

CAUTION: DO NOT STORE BELOW 15 DEG. CELSIUS

WARNING

POISON

NIAGARA CHEMICAL
Division of Reichhold Limited
1274 Plains Rd. E., P.O. Box 5004,
Burlington, Ontario L7R 3Z1

DIRECTIONS FOR USE

GREENHOUSE DISINFECTIONS: Disease organisms may be harboured on

walls, walks and boards in the greenhouse and may contaminate the sterilized seedbed. A solution of 4 litres of NIAGARA FORMALDEHYDE 370 in 100 litres of water applied to these areas after steaming and 4 to 5 days before seeding has proven effective in reducing seedling diseases, particularly those causing Damping-off. It is preferable to apply the solution on a warm day. After the solution has been applied, the greenhouse should be closed for two days and then opened for at least two days before seeding to allow injurious fumes to escape.

SURFACE STERILIZATION OF WALLS, BINS, TOOLS, EQUIPMENT, FOOTWEAR, ETC.: All hard surfaces to be disinfected should be as clean as possible before treatment. Use a solution of 1 part NIAGARA FORMALDEHYDE 370 to 25 parts water.

EMPTY MUSHROOM HOUSES: Heat empty house to at least 18 degrees Celsius and wash down with a solution of 2-4 litres of NIAGARA FORMALDEHYDE 370 in 100 litres of water. Keep house closed for at least 24 hours before ventilating.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. A gas mask should be worn to prevent inhaling the gas fumes, and gloves to prevent skin irritation. Leave the room or building as soon as possible.

Avoid prolonged or repeated contacts and breathing of vapour. May cause irritation of skin, eyes, nose and throat. Use with adequate ventilation. Keep away from heat, fire and sparks. Do not contaminate food, feed, or any body of water.

FIRST AID: If swallowed, induce vomiting by giving patient 15 mL of salt in a glass of warm water; repeat until vomit fluid is clear. Then give a gruel of flour and water. Rush patient to nearest hospital taking this labelled container with you. In case of skin contact, remove contaminated clothing and wash skin with soap and water. If in eyes, flush with plenty of water for 15 minutes and get medical attention. If inhaled, remove patient to fresh air; have him lie down and keep quiet and warm. Give patient egg white and milk; obtain medical attention.

TOXICOLOGICAL INFORMATION: Skin contact may produce an irritant dermatitis. Ingestion may cause severe abdominal pain, nausea and vomiting, sometimes followed by stupor. Exposure to vapours may cause burning and stinging of eyes and headache.

STORAGE AND DISPOSAL: DO NOT FREEZE. Minimum storage temperature 15 deg Celsius. Store in a cool, dry, ventilated place, away from food and feed. Puncture empty container and bury at least 50 cm deep and away from water supply.

NOTICE TO USER: This control product is to be used only in

accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))