

96.01.18

CCL

FLEA & TICK SPRAY

FOR DOGS & CATS VI

PRESSURIZED

DOMESTIC

Kills Dog and Cat Fleas  
and American Dog & Brown Dog Ticks  
on Dogs and Cats

READ THE LABEL BEFORE USING

GUARANTEE:

D-trans allethrin	0.125%
Piperonyl butoxide	0.400%
N-Octyl biclycloheptene dicarboximide	0.200%

REGISTRATION NO. 22387 P.C.P. ACT

NET CONTENTS \_\_\_\_\_ grams

CAUTION

explosive

CCL INDUSTRIES INC.  
105 Gordon Baker Road  
Willowdale, Ontario  
M2H 3P8

DIRECTIONS: Shake can well before using. Hold can in upright position 25-30 cm from pet and spray entire body beginning at

tail and working towards the head. Do not spray face, eyes or genitals. As you spray, fluff the hair so that spray will penetrate to the skin but spray only until hair is damp - not wet. Spray ticks directly. Also spray bed and living quarters if needed. Repeat as necessary. Do not use on puppies or kittens under 8 weeks of age, or nursing females. Do not spray more than once a week. Consult veterinarian before use on pregnant animals. Do not use on sick animals or animals under drug or other pesticide treatment.

For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use and wash the pet's bedding, living quarters, and surrounding areas). If pest problems persist, an insecticidal premise treatment may be required. Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Remove old bedding and replace with fresh clean bedding after treatment.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not puncture or incinerate. Do not place in hot water or near radiators, stoves or other sources of heat or store at temperatures over 50 deg Celsius. Do not spray in eyes, or face, or on genitals of pet. Discontinue use if dermal or nasal irritation develops. Do not use near birds, fish, food or foodstuffs. Avoid inhalation of spray. Avoid skin contact by wearing rubber gloves. Wash hands after use.

DISPOSAL: When container is empty, press valve to release pressure. Dispose of empty container in regular household garbage.

FIRST AID: If on skin, wash thoroughly with soap and water. If sprayed in eyes, flush with clean water. If irritation persists, obtain medical attention. If accidentally swallowed, obtain medical attention at once.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any

guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))