Virbac ANIMAL HEALTH

KNOCKOUT®

Flea Ovisterilant Collar For Cats

Sterilizes fleas on cats for 12 months

For neck size up to 35 cm.

DOMESTIC GUARANTEE:

Pyriproxyfen 0.25%

DO NOT USE ON CATS UNDER 12 WEEKS OF AGE

DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR

READ THE CARTON LABEL BEFORE USING/ RETAIN CARTON FOR FUTURE REFERENCE

REG. NO. 26457 P.C.P. ACT CONTAINS 1 FLEA OVISTERILANT COLLAR

NET WT. 12 q

2001/01

Made in France for:
Virbac Inc.
3200 Meacham Blvd.
Fort Worth, TX 76137 U.S.A.

Distributed by:
Virbac
3080 Yonge Street
Toronto, Ontario M4N 3N1

Virbac ANIMAL HEALTH

KNOCKOUT® FOR CATS

DIRECTIONS FOR USE: TO PROVIDE A FULL YEAR'S CONTROL OF FLEAS

THROUGH STERILIZING FLEAS ON YOUR PET, place KNOCKOUT

ovisterilant collar around the cat's neck, adjust for proper fit and buckle in place. Cut off and dispose of excess length. The collar must be worn tightly enough to contact skin. If collar is worn too tightly, it may produce neck irritation. This collar is designed to prevent the build-up of flea populations through its flea sterilizing action (i.e., production of non viable eggs). Ideally, for maximum effect, this collar should be applied to the cat before the flea season starts (ONLY if there has been a previous history of infestation). Its ovicidal activity, that sterilizes fleas already on the cat, is achieved within one week and continues for 12 months providing that the collar is worn. Fleas already present in the cat's environment, that may reappear on the cat, will also be sterilized. The development of new fleas in the cat's environment, that would normally reinfest the cat, will thus be prevented for a full year. recommended that this collar be replaced once a year only if flea problem persists.

For effective flea control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. IF pest problems persist, an insecticidal premise treatment may be required. As the active ingredient in this collar is not an insecticide or acaricide, it will not kill larval or adult parasites. Therefore, if the cat or its environment is heavily infested with fleas when the collar is first applied, the collar's flea ovisterilant benefit will not be apparent for several weeks until all pre-existing flea life cycle stages have developed and either found a host or died. In these circumstances it may be necessary to use other means (e.g., insecticide treatments, applied to both the pet and its environment) to kill existing flea stages on the pet and in its environment. Tick infestation must always be controlled by products labelled for ticks.

PRECAUTIONS: DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR. Not intended for use in humans. Avoid contact with eyes and mouth. Wash hands thoroughly with soap and water after handling. Consult a veterinarian before using on pregnant animals, sick animals, or animals under drug or other pesticide treatment. Do not use on nursing animals or animals under 12 weeks of age. Discontinue use if adverse effects are observed. Sensitivity may occur after using any pesticide for pets. If signs of sensitivity occur, remove collar and bath your pet with mild soap and rinse with large amount of water.

If signs persists, consult a veterinarian.

STORAGE: Store in a cool dry area. Do not open package until ready to apply to cat.

DISPOSAL: Wrap pouch and excess cut-off collar or used collars and put in garbage.

FIRST AID: If swallowed: Call a physician or Poison Control Center immediately. If eye irritation: Hold eye lids open and flush with plenty of water. Call a physician if irritation persists. Seek medical attention if an adverse reaction is suspected. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Made in France for:
Virbac Inc.
3200 Meacham Blvd.
Fort Worth, TX 76137 U.S.A.

Distributed by:
Virbac
3080 Yonge Street
Toronto, Ontario M4N 3N1

((POUCH))

Virbac ANIMAL HEALTH

KNOCKOUT®

Flea Ovisterilant Collar For Cats

STERILIZES FLEAS ON CATS FOR 12 MONTHS

FOR NECK SIZE UP TO 35 CM.

DOMESTIC

GUARANTEE:

Pyriproxyfen.....0.25%

DO NOT USE ON CATS UNDER 12 WEEKS OF AGE

DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR

READ THE CARTON LABEL BEFORE USING/ RETAIN CARTON FOR FUTURE REFERENCE

REG. NO. 26457 P.C.P. ACT CONTAINS 1 FLEA OVISTERILANT COLLAR

NET WT. 12 q

2001/01

Made in France for:
Virbac Inc.
3200 Meacham Blvd.
Fort Worth, TX 76137 U.S.A.

Distributed by:
Virbac
3080 Yonge Street
Toronto, Ontario M4N 3N1

PRECAUTIONS: DO NOT ALLOW CHILDREN TO PLAY WITH COLLAR. Not intended for use in humans. Avoid contact with eyes and mouth. Wash hands thoroughly with soap and water after handling. Consult a veterinarian before using on pregnant animals, sick animals, or animals under drug or other pesticide treatment. Do not use on nursing animals or animals under 12 weeks of age. Discontinue use if adverse effects are observed. Sensitivity may occur after using any pesticide for pets. If signs of sensitivity occur, remove collar and bath your pet with mild soap and rinse with large amount of water. If signs persists, consult a veterinarian.

FIRST AID: If swallowed: Call a physician or Poison Control Center immediately. If eye irritation: Hold eye lids open and flush with plenty of water. Call a physician if irritation persists. Seek medical attention if an adverse reaction is suspected. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

STORAGE: Store in a cool dry area. Do not open package until ready to apply to cat.

DISPOSAL: Wrap pouch and excess cut-off collar or used collars and put in garbage.

Made in France for:

Virbac Inc. 3200 Meacham Blvd. Fort Worth, TX 76137 U.S.A.

Distributed by:
Virbac
3080 Yonge Street
Toronto, Ontario M4N 3N1

This label transcript service is offered by the Pest
Management Regulatory Agency to provide efficient searching
for label information. This service and this information do
not replace the official hard-copy label. The PMRA does not
provide any guarantee or assurance that the information
obtained through this service is accurate, current or correct,
and is therefore not liable for any loss resulting, directly
or indirectly, from reliance upon this service.

+))