

89.09.11

CCL CRAVING INSECT KILLER VI
PRESSURIZED CONTACT & RESIDUAL
CRACK, CREVICE 6 INJECTION
INSECTICIDE SPRAY
COMMERCIAL

For use in Non-Food Areas of Homes, Kennels, Warehouses, Theatres, Office Buildings, Schools, Motels, Hotels, Restaurants and other Industrial establishments and in Food Processing Facilities (non-edible areas) during shut down periods.

Kills Spiders, Sowbugs, Earwigs, Cockroaches, Crickets, Millipedes, Silverfish, Ants, Fleas, Carpet Beetles, Brown Dog Ticks.

GUARANTEE:

Pyrethrins.....	0.050%
Technical Piperonyl Butoxide.....	0.100%
N-octyl bicycloheptene dicarboximide.....	0.166%
Propoxur.....	0.500%

REGISTRATION NO. 18647 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

CAUTION

EXPLOSIVE

NET CONTENT grams

CCL Industries Inc.,
26 Waterman Avenue
Toronto, Ontario
M4B 1Y5

For use as a crack and crevice injection system to control insects listed on front panel.

DIRECTIONS: Equipment capable of delivering a pin stream should be used in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the listed insects hide. If reinfestation occurs, repeat applications as necessary. Provide adequate ventilation after indoor use. KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY. In dwellings, remove or cover exposed foods and cooking utensils before spraying. After spraying, clean surfaces which may contact food. Remove pets from the room during spraying. Cover or remove aquaria for 1 hour.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50'C. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin, or clothing. DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOOD STUFF, FOOD UTENSILS, FISHBOWLS OR ANIMAL FEED AREAS. DO NOT USE AS A SPACE SPRAY.

FIRST AID TREATMENT: Contains volatile petroleum distillate. If swallowed, do not induce vomiting. Call physician immediately. Propoxur is a mild cholinesterase inhibitor. Atropine is antidotal. In case of contact with the skin, wash with soap and water. If in eyes, flush with water for 15 minutes, get medical attention.

DISPOSAL: When container is empty, press button to release all pressure, then dispose-in garbage. Do not puncture or incinerate.

NOTICE TO USER: "This control product is to be used only in accordance with the directions of this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions."

NATURE OF RESTRICTION: This product is to be used only in the manner authorized; consult local pesticide regulatory authorities about use permits which may be required.

Use this product in food processing plants only when plant is not in operation. Remove or cover foods during treatment. Cover all surfaces or thoroughly clean before using.

Products for use in meat packing plants must be approved by the Meat Inspection Division, Health of Animals Branch, Agriculture Canada.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))