

17-JUN-1997

apa (R)

APACIDE

INSECT SPRAY

Ready to Use

CONTAINS PYRETHRINS AND PIPERONYL BUTOXIDE

AGRICULTURAL

GUARANTEE

Pyrethrins.....0.1%
Piperonyl Butoxide.....1.0%

REGISTRATION NO. 21505 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET 10 L

A.P.A.

Division of:

RHONE MERIEUX, CANADA INC.
Victoriaville, Qc, G6P 1B1
Canada

656151A

APACIDE

GENERAL INFORMATION: This product may be used on the following livestock: beef cattle, dairy cattle and swine. This product may also be used for surface spot treatment and fogging of farm buildings. It kills, on contact, house flies, face flies, stable flies, horn flies, lice, mosquitoes, gnats, spiders, ants, wasps, hornets and crickets.

DIRECTIONS FOR USE:

Livestock: For horse flies, horn flies, mosquitos and stable flies. Spray on Beef and Dairy Cattle and Swine: Using a sprayer that produces a fine mist, apply up to 30 mL per animal. Cover the entire animal without making the hair wet. Do not spray in the eyes or mouth. Repeat as necessary, but not more than once a day.

Treat dairy cattle at least 20 minutes before milking, but do not spray directly on udder. Wash udder before milking.

To Control Blood Sucking Lice on Cattle: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat as necessary.

Farm Buildings: (dairy barns, milk rooms, beef barns, horse stables, swine housings). For rapid control of flies, gnats, mosquitoes, spiders, ants, cockroaches: apply using a good space sprayer (fogger) adjusted to deliver a fine mist at a rate of 200- 300 mL per 100 cubic metres. All animals must be removed from barn/building before fogging. Close windows, doors and shut off ventilating systems and sources of ignition. Direct spray upward to fill the room with a fine mist. Leave the room closed for 10 minutes before ventilating. Do not remain in treated area. Ventilate treated areas thoroughly for at least 30 minutes before animal re-entry. Spray only when temperature is under 32°C.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not breathe spray mist.

Wash contaminated clothing before reuse. Do not contaminate feed, food or water. Contents toxic to fish and birds. Use only when milk room is NOT in operation. Cover or remove all milk and milking implements before spraying. After spraying, wash all surfaces that may contact milk and rinse thoroughly with potable water before resuming operations.

STORAGE:

Store in original container away from feed and food.

DISPOSAL:

Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

FIRST AID:

If on skin, wash thoroughly with soap and water. If in eyes, flush with clear water for 15 minutes; get medical attention. If swallowed, DO NOT induce vomiting.

Product contains Petroleum Distillate. Call physician or poison control centre immediately.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))