

01-APR-1996

WILSON

Hose-Spray

MULTI-WEEDER LAWN WEEDKILLER

DOMESTIC

REG. NO. 21377 P.C.P. ACT

NO MEASURING-NO MIXING
SIMPLY ATTACH AND SPRAY

READ THE LABEL BEFORE USING

1 L

GUARANTEE:

2,4-D 95 g/L
Mecoprop (d-isomer) 50 g/L
Dicamba 9g/L
(All present as amines)

CONTROLS DANDELION, CHICKWEED, CLOVER, PLANTAIN,
CONTROLS OVER 50 DIFFERENT LAWN WEEDS.

WILSON LABORATORIES
DUNDAS, ONTARIO
L9H 3H3

PROTECTIVE CLOTHING: Wear long-sleeved shirt, long pants, socks, shoes and chemical-resistant (e.g., rubber) gloves.

OPERATOR USE PRECAUTIONS: Rinse gloves before removal. Wash hands before eating, drinking, using tobacco or using the toilet. If pesticide penetrates clothing, remove immediately; then wash thoroughly and put on clean clothing. Remove clothing and

launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water, then shower. Reuse gloves for pesticide application only.

RE-ENTRY INTERVAL: Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

DIRECTIONS FOR USE: Apply Wilson Hose-Spray Multi-Weeder using the hose-end applicator enclosed. It will accurately dilute this concentrated weedkiller for treatment of 800 m² (8600 sq.ft) of lawn area.

Read the complete label for application instructions and precautions prior to use:

1. Shake container thoroughly before attaching to garden hose.
2. Turn water supply on at the source. Water pressure will build hose since the sprayer is already in the "OFF" position.
3. To apply product, bend safety tab and turn the control valve clockwise to the "ON" position.
4. For best results, hold sprayer and bottle level, and direct sprayer in a sweeping side-to-side movement. Spray 1/2 of bottle (500 mL of product) evenly over 400 m² (4300 sq. ft.). For smaller areas, spray at the rate of 50 mL over 40 m² (430 sq. ft.). Do not overlap areas already sprayed.
5. To spray water only, turn the control valve clockwise so that the valve indicator arrow is pointing to the "WATER" position on the sprayer.
6. When spraying is complete turn the control valve to "OFF" position. Turn water off. Disconnect hose from applicator and store product in original container.

WEEDS CONTROLLED: Bedstraw, Black Medick, Buttercup, Chickweed, Clover, Creeping Charlie (Ground Ivy), Dandelion, Dock English Daisy, Hawkbit (fall dandelion), Heal-All, Knotweed, Ox-eye Daisy, Plantain, Poison Ivy, Ragweed, Ribgrass, Sandwort, Shepherd's Purse, Speedwells, Stonecrop.

APPLICATION: Spray contents of the bottle (1L of product) evenly over 800 m²(8600 sq. ft.) of lawn. For smaller areas, spray at the rate of 50 ml over 40 m² (430 sq. ft.) Do not overlap areas already sprayed.

Apply in May, June or September when weeds are growing actively. Repeat application may be required for some species. Do not apply in very hot, very dry or rainy weather. Do not apply to newly-seeded lawns until after third mowing. Do not cut grass for several days after application. Do not water within 24 hours of application.

MAXIMUM APPLICATION FREQUENCY: For good lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. DO NOT APPLY THE SPRAY SOLUTION OR ALLOW SPRAY TO DRIFT ONTO DESIRABLE TREES, SHRUBS, VEGETABLE GARDENS OR FLOWER BEDS. Do not use clippings from a freshly sprayed lawn as mulch. Do not use on Bent Grasses. Avoid inhaling spray mist. Avoid contacting eyes, skin and clothing.

FIRST AID: If in eyes, flush with water and get medical attention. If on skin, wash with soap and water. If swallowed, get medical attention at once or contact a poison control centre.

DISPOSAL: Do not reuse container. Wrap in newspaper and dispose of empty container with household garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))