GARDEN CLUB/CLUB JARDIN

Ant & Grub Killer Insecticide Dust

Insectide a fourmis et vers blancs en poudre

Kills many soil-inhabiting and household insects

READ THE LABEL BEFORE USING

Detruit beaucoup d'insectes sol et dans la maison

LIRE L'ETIQUETTE AVANT L'EMPLOI

GUARANTEE/GARANTIE:

Chlorpyrifos/chlorpyrifos 0.5%

REG. NO./NO D'ENR. 17798 P.C.P. ACT/L.P.A.

DOMESTIC/DOMESTIQUE

500 g

59-3767-0

CANADIAN TIRE CORPORATION, LIMITED TORONTO, ONTARIO M4P 2V8

DIRECTIONS FOR USE: PESTS OUT-OF-DOORS: Turf and lawns: Make no more than 2 applications per season. White Grubs, European Chafer larvae, Japanese Beetle larvae: Apply 400g per 10 square metres and water into turf. Ants: Apply 200g per 10 square metres. Treat ant nests and trails. Chinch Bugs: Apply at a rate of 200g per 10 square metres at first sign of damage. Water

thoroughly. Keep off lawn until dry. Ornamental shrubs and bushes: Make no more than 2 applications per season. Crickets, Earwigs, Sowbugs, Spiders, Cutworms, White Grubs, European Chafer larvae and Japanese Beetle larvae: Apply dust to turf or to soil around plants at a rate of 400g per 10 square metres. For control of the following foliar pests, dust plants lightly: Aphids, Mealybugs, Mites, Scales, Spittlebugs, Thrips and Whiteflies. Apply to give uniform coverage of upper and lower leaf surfaces. Do not use on roses, azaleas, camellias, poinsettias, oxalis, coleus or variegated ivy. Gardens: control of Cutworms, apply if damage is expected. Use on broccoli, Brussels sprouts, cabbage, Chinese cabbage, cauliflower, carrots, celery, cucumber, green pepper, onion, potato, sweet corn and tomato. Apply dust to soil around plant at a rate of 70 g per 10 metres of row. Do not use on green bunching onions. For control of Potato Flea Beetles and Tarnished Plant Bugs on potato, apply dust to plant at a rate of 35g per 10 metres of row. Repeat weekly as needed. Do not make more than nine applications during one season.

Days to wait between application and harvest:

| Broccoli | 32 days | Celery | 70 days |
|-------------|---------|------------|---------|
| Brussels | 32 days | Cucumber | 60 days |
| sprouts | | Green | 40 days |
| Cabbage | 32 days | pepper | |
| Carrot | 60 days | Onion | 60 days |
| Chinese | 32 days | Potato | 7 days |
| cabbage | | Sweet corn | 70 days |
| Cauliflower | 32 days | Tomato | 70 days |

INSECT PESTS of houseplant soil and on houseplants: If possible, remove plants outdoors for treatment. For soil insects, apply dust lightly to soil around plant. Repeat as needed but no more than once every 2 months. For foliar insects, dust plant to give thorough coverage of upper and lower leaf surfaces. Do not use on roses, azaleas, camellias, poinsettias, geraniums, oxalis, coleus or variegated ivy. Repeat as needed but no more than once every 2 months.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not allow dust to contact food, food-preparing surfaces, utensils or drinking water. Wash contaminated food surfaces and utensils with soap and water. Do not use in poultry houses or other animals buildings. May cause irritation to skin or eyes; avoid contact. Avoid inhaling dust. Wash thoroughly with soap and water after using. WARNING: This product is toxic to fish and crustaceans. Avoid contamination of ornamental fish ponds and fish bowls. Dispose of the container away from food, feed or water supplies.

FIRST AID: If swallowed, induce vomiting and seek medical attention. Flush contaminated eyes and skin with plenty of water. For eyes, get prompt medical attention.

TOXICOLOGICAL INFORMATION: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. ATROPINE by injection only, is an antidote.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))