FLOWABLE CAPTAN SEED PROTECTANT

COMMERCIAL

AGRICULTURAL FUNGICIDE-UNCOLORED LIQUID SUSPENSION

Read the Label Before Using

GUARANTEE: Captan * ...39.1%

Contains 1.81 Kilograms Captan per 3.79 Liters

CAUTION:

Keep Out of Reach of Children.

Causes eye and skin irritation.

Harmful if swallowed, inhaled or absorbed through skin.

Do not get in eyes, on skin or clothing. Wear a respirator, rubber gloves and goggles or face shield when handling. Wash with soap and water after handling.

Do not breathe spray mist.

Exposure to captan may produce long-term health effects. To minimize exposure follow directions outlined on this label.

STORAGE & DISPOSAL:

- 1. PROHIBITIONS: Store in a cool, dry, ventilated place. Keep away from heat, fire and sparks. Do not contaminate any body of water, food, or feed by storage or disposal. Open dumping is prohibited.
- 2. DECONTAMINATION AND DISPOSAL: Decontaminate equipment and empty containers by thoroughly rinsing with water and dispose of rinsings by burying in non-crop land away from water supplies. Crush, break, or puncture empty containers and bury with the rinsings or deliver them to sanitary land-fill dumps in accordance with municipal requirements. For additional details on disposal of containers and rinsings and for information about the containers and rinsings and for information about the appropriate means of disposal of unused, unwanted product, contact the regional office of the Environmental Protection Service, Environment Canada.

REGISTRATION NO. 16739
PEST CONTROL PRODUCTS ACT

U.S.A. E.P.A. Reg. No. 29964.2

1514 Liters Net 1814 Kilograms Net

Made in U.S.A. by

PIONEER HI-BRED INTERNATIONAL, INC.

Des Moines, Iowa 50308

PIONEER HI-BRED LIMITED

Chatham, Ontario N7M 5L1

GENERAL USE PRECAUTIONS:

READ THE ENTIRE LABEL BEFORE USING. Use only as recommended for claims listed.

During commercial seed treatment never handle material with bare hands. Use rubber gloves; do not use leather or cloth gloves. Avoid spilling on skin or clothing. Do not breathe spray mist. Wear a respirator and goggles or face shield while mixing, loading and spraying. Wash hands, face and arms thoroughly after handling captan and before eating, drinking or smoking. Shower after use or at the end of the work day.

When handling or applying, wear goggles or face shield and clothing that completely covers arms and legs to minimize exposure. Change contaminated clothing daily and wash thoroughly before re-use.

Always work out of the wind during mixing and loading operations. Keep unprotected persons out of operating area or vicinity where there may be drift. When treating, augering or handling treated seed, work in a well-ventilated area, and wear a respirator, gloves and goggles or face shield.

If an accident occurs, remove contaminated clothing and wash skin thoroughly with soap and water. Wash clothing and gloves before re-use.

FIRST AID: In case of poisoning, call a physician immediately.

IF ON SKIN: Remove contaminated clothing and wash skin thoroughly with soap and water.

IF IN EYES: Flush with water for 5 to 10 minutes and obtain medical attention.

IF SWALLOWED: Give the patient one or two glasses of water, and cause vomiting by giving one dose of syrup of ipecac. If the patient does not vomit within 20 minutes, give a second dosage.

If the syrup of ipecac is not available, give the patient one or two glasses of water and cause vomiting by inserting a finger down the throat. Repeat with water until vomit fluid is clear. The patient should be lying down with the head below the level of the feet. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE.

DIRECTIONS FOR USE AND RECOMMENDATIONS: READ ALL DIRECTIONS BEFORE USING AND USE ONLY AS SPECIFIED ON THIS LABEL.

DIRECTIONS: Stir thoroughly to mix contents before using. Thoroughly mix the recommended amount of Flowable Captan Seed Protectant into the required amount of water for the slurry treater equipment and dilution rate to be used. Seed treated with a slurry should not be bagged or stacked until it has dried. Clean equipment thoroughly between treating operations.

PRODUCT INFORMATION: Flowable Captan Seed Protectant is a liquid suspension especially formulated for the treatment of seed prior to storage and planting to protect seed from molds and other fungi causing storage loss and to protect seed from seedborne and soil-borne fungi which cause seed decay, damping off, and seedling blights.

SEED TREATMENT DOSAGE RATES	
SEED	DOSAGE RATES
Alfalfa, clover Beans Beets (garden) Cole Crops Corn (see Limitation) Cucumber (see Limitation) Grasses Peas Peppers Soybeans Spinach Squash, pumpkin, watermelon, muskmelon Sugar Beets	665 g/100 kg 190-255 g/100 kg 895 g/100 kg 120-135 g/100 kg 130-305 g/100 kg 240-250 g/100 kg 665-895 g/100 kg 190-255 g/100 kg 250 g/100 kg 190-225 g/100 kg 480 g/100 kg 160-174 g/100 kg

LIMITATION: If the product is to be applied at the lowest rate, it should be done by professional applicators using equipment which will assure complete and uniform coverage.

TREATED SEED PRECAUTIONARY STATEMENT: Label all bags of treated seed with an appropriate caution statement such as:

POISON TO MAN AND ANIMALS

This seed has been treated with captan. Do not use for food or feed. Do not sell to oil mills.

SPECIAL USE PRECAUTIONS:

This seed protectant formulation does not contain dye. Add a suitable dye to this product prior to treating seed. The rate of dye used must be sufficient to adequately color the seed being treated.

ENVIRONMENTAL HAZARD:

This product is toxic to fish. Keep out of any body of water.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))